

0.3w 3 SMD LED Module, White LED(48x12.4mm)

Item Code: LED module-RS-M603B-3WF



FOB Price: \$0.82/pc

Mini Order: 200 pcs

Average Rating: Ib (kg)

Inquire Now

Overview


It is fits for 6-18cm height logo and signage.


Characteristic:

- 1. Using high brightness LED SMD as the lamp-house, having wide viewing angle and petty aperture.
- 2. Controlled by the chips with constant current, having constant working current and indiscriminate between the cathode and anode.
- 3. Low voltage, safe and jar less.
- 4. With a settled orifice and 3M gummed paper, very convenient to install.
- 5. Long life time.above50000hrs.
- 6. Low power consumption, energy conservation and saving electricity.

Application:

This LED SMD module is widely used for solid lighting character, LED signs, LED lighting box, scenery designs and décor, etc.





Details

SMD Package Model	Other
Color	White
Shape	Rectangular
Brightness	High
LED Number	3
Material	Plastic

Specifications

Basic parameter					
Color	White	LED type	SMD		
LED Qty	3 pcs	Demension	48x12.4x5.5mm		
Module interface	Gray 0.5mm2×75mm RVleads	Interface definition	Gray anode, white cathode		

Cluster Qty	20pcs	Module space between			
Weight	10g±5%	Lifespan	MTBF?50000hours		
Enviroment parameter					
working temperature	-30?~ 50?				
Defend Grade	IP65				
Electronic specification					
Working input voltage	D12V±5%	Max power	0.3W		
Driving mode	Invariablenes Voltage! (Insure every LED working under the invariablenes voltage				
lighting capability					
Luminous Flux	21 lm				
Beam angle	118°				























Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com