

## 12" Desktop Vinyl Cutting Plotter - Compatible with Mac System

Item Code: CPM-FS-C12



FOB Price: **\$453/set**

Price: **\$432/set**

You Save: **\$21.00(5%)**

Mini Order: 1 set

Average Rating: 1b (kg)

[Inquire Now](#)

### Overview

This 12 inch (305mm) vinyl cutting plotter can be used to cut all kinds of pictures, letters on self-adhesive vinyl, stickers. It is made in China and comes with one year warranty.

**With Contour Cutting function, compatible with Mac System**

#### Application

This cutting plotter will be useful for your business; it is designed for both home and office use. This vinyl cutting plotter will make your work easier and faster in making any kind of design. It can cut vinyl decal, sticker, masking film for painting or etching, vinyl lettering, decorative scrapbooking papers, card stock, stencils, magnetic sheet, stickers for signage, sign glass decals, penaflex, etc. As well as all kinds of T-shirt heat transfer media like: flex, flock, Magi cut colored paper for garments, etc.

#### Product Features



Adopts high-precision steel axes, can prevent slipping while cutting long materials

|                                                                                   |                                                                                                                      |                                                                                     |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  | <p>10 silica gel buttons, easy-to-use and durable</p>                                                                |  |
|  | <p>High Speed Arithmetic Microprocessor, stable processing, low noise operation yet without zigzag while cutting</p> |  |
|  | <p>Support Windows 2000/xp2/Vista 32 bits system/Mac system</p>                                                      |  |

#### Standard Accessories

- 1) Flexisign 8.5 Plotting Software
- 2) User Manual (CD), CorelDraw driver (CD)
- 3) 1 RS232 serial cable
- 4) 1 USB cable
- 5) 1 power cable
- 6) 3 cutting blades
- 7) 1 blade holder
- 8) 1 pen holder

Please download the USB driver on <http://www.ftdichip.com/FTDrivers.htm>



### Spare Parts

Roland blade (30, 45, and 60 degrees): +\$3 (AA-grade blade) / \$5 (3A-grade blade)

A3 Cutting mat: +\$4

A4 Cutting mat: +\$6

### Warranty and Aftersales Service


Comprehensive warranty for one year except for spare parts.

24-hour technical support by email or telephone.


User-friendly English manual for machine use and maintenance.

### Machine Detailed Pictures


1. Adjust the protruding length of the knife top as required for specific cutting media.




2. Control panel of this vinyl cutters plotter




3. The LCD shows



4. Original point setting



5. Blade cutter and holder

|                                                                                                                      |  |                                                                                     |  |
|----------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|--|
|  <p>60° knife</p> <p>45° knife</p> |  |  |  |
| 3 pcs of blade cutters                                                                                               |  | Blade holder                                                                        |  |

Details

|               |                                     |
|---------------|-------------------------------------|
| Interface     | RS232C, USB                         |
| Control Panel | 10 Silica gel buttons               |
| Cutter Press  | 50g~800g, Level 160 digital control |

Cutting Precision

0.001" (0.025mm)

|                        |                 |
|------------------------|-----------------|
| Max. Cutting Thickness | 0.04" (1mm)     |
| Max. Cutting Speed     | 23.6" (600mm)/s |
| Max. Cutting Width     | 12" (305mm)     |
| Max. Paper Feed Width  | 16" (415mm)     |

## Specifications

|                           |                                                                           |
|---------------------------|---------------------------------------------------------------------------|
| Model                     | CPM-FS-C12                                                                |
| Support Mode              | Desktop                                                                   |
| Maximum Media Width       | 16" (415mm)                                                               |
| Maximum Cutting Width     | 12" (305mm)                                                               |
| Operating System          | Windows2000/XP/2003/ 2003 x32/win7 x64 /<br>Mac OSX10.2.8 & above version |
| Interface                 | RS232C, USB                                                               |
| Control Panel             | 10 Silica gel buttons                                                     |
| Driver                    | Digital DC, Step Motor, Micro-step Driver                                 |
| Display                   | 4*8 High Resolution LCD                                                   |
| Drawing Instruction       | HP-GL, DMPL                                                               |
| Maximum Cutting Speed     | 23.6" / s (600mm / s)                                                     |
| Maximum Cutting Thickness | 0.04" (1mm)                                                               |
| Pressure                  | 50g~800g, Level 160 digital control                                       |
| Mechanical Precision      | 0.001" (0.025mm)                                                          |
| Repeat Accuracy           | < ±0.1mm (0.004")                                                         |
| Power Supply              | AC90~240V / 50Hz~60Hz                                                     |

|                                |                                                  |
|--------------------------------|--------------------------------------------------|
| Positioning Mode               | Bounded System, Random Original Point Setting    |
| Operating Environment          | Temperature: +5?-35?, Relative Humidity: 30%-70% |
| Machine Dimension / Net Weight | 23" x 11" x 11" (585 x 265 x 270mm), 9kg         |
| Packing Size / Gross Weight    | 28" x 15" x 16" (720 x 380 x 400mm), 12.5kg      |

## Tags

[12" Desktop Vinyl Cutter Plotter](#) [Vinyl Cutter Plotter](#) [Vinyl Cutter](#)



NETSUITE®  
ONE SYSTEM. NO LIMITS.

PayPal™



Member  
INTERNATIONAL  
SIGN ASSOCIATION



Member  
SGIA  
Specialty Graphic Imaging Association



ACCREDITED  
BUSINESS

Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com