



14" Mini Vinyl Cutter Plotter-With Contour Cutting Function

Item Code: CPM-RS-450C



FOB Price: **\$389/set**

Mini Order: 1 set

Shipping Weight: ★★☆☆☆

Average Rating: 22.0lb (10kg)

[Inquire Now](#)

Overview

Description:

This 13.8 inch desktop cutting plotter has a contour cutting function and is used to cut all kinds of pictures, letters on self-adhesive vinyl, stickers. It is made in China and comes with one year warranty.

Application:

The mini desktop vinyl cutter is designed for office and home use. It is really good for your business. It can make your work easier and faster for making any kinds of designs. It can cut sticker and decal vinyl, masking film for painting or etching, vinyl lettering, decorative scrapbooking papers, card stock, stencils, magnetic sheet, stickers for signage, glass sign decals, penaflex, etc. As well as all kinds of T-shirt heat transfer media like: flex, flock, Magi Cut colored paper for garments, etc.

Product Highlights:

- Low cost and high performance sign making machine.
- Controlled by RISC high speed processor, high speed cache.
- Unique soft impact cutter for smooth cutting.
- The mini cutting plotter adopts the latest numerical technology: it can regulate the pressure and speed in real-time numerically. This is very convenient and fast.
- It has a perfect output: there's no saw tooth even when using high speed.
- The cutting plotter is highly stable and has nearly no malfunction.
- The cutting plotter has a nice appearance and very solid support, to avoid wobbling while cutting.
- The cutting plotter has LCD with a very accurate and simple English Menu, operated it by pressing buttons. .
- The plotter's pinch rollers are adjustable, so the paper stays in place when using rolls of media.. With this function, you can use the plotter to make materials for large light boxes.
- This cutting plotter can work with Artcut, Flexi Sign, Signcut, WinPCsgin, SignBalzer, SignLab, etc. CorelDRAW plug-in driver (Cutmate2.0) is available for this machine. It supports direct cut-outs from 'CorelDRAW' 11, 12, X3.

Standard Accessories:

- . WinPCSign basic 2009 (Contour cutting version)
- . User Manual (CD), CorelDRAW driver Cutmate2.3 (optional).
- . 1 RS232 serial cable.

- . 1 power cable.
- . 3 cutting blades.
- . 1 blade holder.
- . 1 pen holder.
- . 1 coat for the plotter.
- . 1 deluxe aluminum stand (optional).

Spare Parts:

Roland blade (30, 45, and 60 degrees): +\$1.5 (common blade) / \$3 (A-grade blade)

Cutting mat: +\$5

Warranty and Aftersales Service:

Comprehensive warranty for one year except for spare parts.

24-hour technical support by email or telephone.

User-friendly English manual for machine use and maintenance.

Details

Interface	COM and LPT
Control Panel	Over-head, LCD keyboard
Cutter Press	10-500g
Cutting Precision	0.01mm
Max. Cutting Thickness	0.5mm
Max. Cutting Speed	600mm/s
Max. Cutting Width	350mm
Max. Paper Feed Width	450mm

Specifications

Model	CPM-RS-450C
Paper Feeding Mode	M-shaped bracket
Control Panel	Over-head, LCD keyboard
Driver	Stepper motor
Maximum Paper Feeding Width	17.7" (450mm)
Maximum Cutting Width	13.8" (350mm)
Maximum Cutting Speed	23.6" (600mm)/s
Maximum Cutting Length	100m and up
Maximum Cutting Thickness	0.02" (0.5mm)

Knife Press	10-500g
Minimum Size for Cutting Letters	0.12" (3mm)
Repetition Precision	0.01mm
CPU	RISC CPU
Type of Tool	Carbide blade
Type of Plot Pen	All types of plot pens with a 0.47"(12mm) diameter
Plotting Instructions	HPGL
Interface	RS232/USB
RAM	4M
Real cutter softball	?
Emergency stop	?
Power Supply	AC90V-AC230V 50Hz-60Hz
Power Consumption	
Machine Dimensions	24.0" x 9.4" x 8.7" (610 x 240 x 220mm)
Machine Weight	19.8lb (9kg)
Packaging	Carton box or wooden box
Packing Size	29.2" x 12.2" x 13.8" (760 x 310 x 350mm)
Gross Weight	22.4lb (10kg)
Temperature	+5°C to +35°C, relative temperature 30%-70%

Tags

[14" vinyl cutter](#) [mini vinyl cutter](#) [14" mini vinyl cutter](#) [14" vinyl cutter plotter](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com