



New Smart 3D Vacuum Heat Press Machine For Sublimation Two Phone Cases

Item Code: HTM-ST-2030



FOB Price: ????.31 260/?????????

Mini Order: 1 ????????

Shipping Weight: ★★★★★

Average Rating: 15.4lb (7kg)

[Inquire Now](#)

Overview

Description:

- New arrival 3D vacuum heat press machine.
- Specially for sublimation phone cases and can transfer 2 cases at one time.
- Exquisite appearance, fashion type.
- Reliable quality, stainless steel heating tube, with lifespan of 100 thousand hours.
- Intelligent design, digital temperature control, one key to finish.
- Super lightweight design, save space.

Specification:

Voltage: 110V+-10%/220V+-,50HZ/60HZ

Power: 400W+400W

Transfer Temperature: 180?

Transfer Time: 300 Seconds

Control Mode: LCD automatic control

Vacuum Pump Flow: 5L/Minte

Vacuum Pump Pressure: -0.07MPA

Color: Matte Black, Matte White



Ever feel the nice feeling of making sublimation phone case ?

PHONE CASE **SUBLIMATION**

SUBLIMATION VACUUM MACHINE FOR MOBILE PHONE CASE



ENJOY PROFESSIONAL PRODUCTION

SPECIFICALLY

FOR THE HEATING PRESS
FOR PHONE CASE



This is newest sublimation vacuum machine for mobile phone case. Designed by our r&d staff. New design fashion, professional and powerful function, It is the good choice of making phone cases.

SUNMETA



MY PHONE CASE MY DECISION

THE NEATEST SUBLIMATION MACHINE FOR PHONE CASES



A NEW HEATING TRANSFER EXPERIENCE

ALL IN THE 3D SUBLIMATION VACUUM MACHINE FOR MOBILE PHONE CASE

ST-2030





THE SMALLEST **THE LIGHTEST**

3D SUBLIMATION VACUUM MACHINE FOR MOBILE PHONE CASE IN THE WORLD



5.8 kg

DISTINCTIVE

R&D DESIGN EXPERIENCE

Completely get the rid of the bondage of heavy.
Light and convenient, comfortable to carry.
Focused functions, high efficiency.

COMMODIOUS

"MADE-TO-MEASURE" FOR SUBLIMATION PHONE CASE

EXCLUSIVE




PRINT TWO PHONE CASES AT A TIME



TRANSFER SIZE IS A4

A4



MORE POWERFUL FUNCTION EXPERIENCE



One button open design,
quick and easy



Intelligent temperature control



Processing capacity
can be checked

3D

Heat press phone case of full image,
more beautiful, support 3D film

P1

P2

With memory function P1/P2



Quantitative counting,
you can preset processing
capacity when bulk processing

-

can be checked

+

capacity when bulk processing,
machine will warn you when arrives°C
°F

Two temperature display: Fahrenheit and Centigrade

HIGH QUALITY HEATING PRESS EFFECT

Up heating and down heating simultaneously
makes heating even everywhere



SUITABLE FOR ALL THE SUBLIMATION PHONE CASES





UPSCALE AND BEAUTIFUL **CONTROL PANEL**


SETTING STATE IS CLEAR BUTTONS ARE FLEXIBLE AND COMFORTABLE



LCD, AUTOMATIC CONTROL

LCD DIGITAL DISPLAY, UPSCALE AND BEAUTIFUL
NUMBERS, ICONS, BE CLEAR AT A GLANCE OPERATION
IS MORE CONVENIENT, MORE ACCURATE





INTELLIGENT CONTROL STRONG BUTTON



POWER



VACUUM



TIMING



TEMPERATURE



TIME SETTING



HEATING



SAVE SETTING



SAVE SETTING



PLUS



MINUS

BUTTON FUNCTION COMMENTARY



Turn on the power, the machine connect power.



Press heating button to start heating heating indicator light flickering.



Vacuum button press TIMING button, it will start vacuum automatically.




Press "+" for two seconds, hear one beep, keep press
Then press "-", after hear one beep, you can set, release
button, press "+" and "-" to set amount you want.




press "-" for two seconds, hear one beep, keep
press then press "+", after hear one beep, you can
see the gross statistics from factory default to now.


TWO TEMPERATURE DISPLAY

Attention: press (+/-) at the same time, you can switch between Fahrenheit and Centigrade.



FINE DETAIL, JUST TO MAKE YOU MORE COMFORTABLE















MANUFACTURING FLOW



CIRCUIT BOARD CONNECTION METHOD



CIRCUIT BOARD CONNECTION METHOD

	1、red		4、red		7、black+red
	2、black		5、white		8、black+black
	3、blue		6、color flat cable		9、black+black

EXTERNAL VACUUM PUMP EXHAUST PIPE CONNECTION METHOD

- Take out the free spare 4mm pipe connect the 4mm pipe with 6mm pipe behind the machine, make sure that the waste water and air can be exhausted to designated location.

1



Connect pipe here

2

Exhaust pipe

3

Designated location



Through the lengthening
pipe to exhaust waste water
and air to designated location.


PACKAGING SHOW

• Effect of expansion plan

SIZE: 400*440*155mm



• Accessories



Please remove the packing foam carefully
and keep well for maintenance.

INDEPENDENT RESEARCH AND DEVELOPMENT, PATENT PRODUCTS



中华人民共和国国家知识产权局





Product parameters

Item No.:	ST-2030	Control Mode:	LCD, automatic control
Heating Power:	400W+400W	Vacuum Pump Flow:	5 L/min
Voltage:	220V-110V	Vacuum Pump Pressure:	-0.07 Mpa
Net Weight:	5.8KG	Transfer Product:	all sublimation phone cases
Transfer Parameter:	180 °C 300 seconds	Machine Color:	matte black, matte white
Function:	Heat transfer image onto sublimation phone case		



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com