


?????? ??????? ??? ??? ?????

Item Code: CS-ZH-RTH8



FOB Price: ???.6 100/??.

Mini Order: 1 ??.

Average Rating: 2.3lb (1.03kg)

Inquire Now

Overview

???????????:

- ?? ???????? ?????? ?????? ?????? ?? 400°C ????? ?? 6 ??????.
- ???????? ???????????, ????? 100??.



???????:

???????????:

????????: 110?±10% / 220?±10%

???????: 100W

???????????: 28 x 23 x 8??

??? ?????: 0,8??

Function Explanation



Attentions for Using:

- In order to drop the possibilities of fire disaster risk, please always use this tool in an environment with ventilation.
- Don't burn the blade to remove any residue as it may distort the blade.
- Please don't idly run its blade, and always press the trigger switch after blade touching a work piece in order to warm up it for cutting.
- Please don't leave the blade heated in red without cutting.
- This product is a tool for 15-second interval cutting, the time continuously pressing its trigger switch shall not be more than 60 seconds.

PRODUCT DETAIL-1


PRODUCT DETAIL-2




- Electronic switch and electronic speed adjuster make it easy on and off.

PRODUCT DETAIL-3

- European standard (VDE cable) applied which is high voltage resistant 300V – 500V, thermostable, and suitable for outdoor use. Its cable is three meters long that working radius is effectively increased.



Accessory tools



??????????:





???????:





























Copyright @ 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.