

### US Stock-Ving 63" Semi-auto Master Mounting Wide Format Cold Laminator

Item Code: FMJ-1600-II-PLUS-US



FOB Price:	???.124 640/????????						
Mini Order:	1 ????????						
Shipping Weight:	****						
Average Rating:	561.0lb (255kg)						
Inquire Now							

**Overview** 



## THE PRODUCTS IN US STOCK ONLY FREE SHIPPING TO USA.

The Products in US Stock Only Free Shipping to USA. Canada and Mexico Customers need to pay the extra delivery charges, Please contact our customer service in advance.

Customers in Other Countries Please Click Here to Order: http://www.sign-in-china.com/products/1427/ving\_63 quot semi auto master mounting wide\_format cold\_laminator.html

## Semi - auto Master Mounting Cold Laminator



Semi - auto cold laminating machine (Automatic take - up rolls of back paper), with functions of single sided cold laminating and mounting by electric.

This Laminator is a great add - on to any sign shops that need a Professional Cold Laminator for various sign making needs. Easy to use and Guarantee a quality result each time. Good color reducibility and light transmittance, free of bubbles and snowflake point! It saves manpower and is easy to operate. A perfect fit for entry level customer, who is looking for an affordable and professional cold laminator for their projects. This new model can be widely used for pre - masking vinyl graphic, mount prints on substrate, over laminating inkjet prints and so on.

#### Features:

- · Great for mounting prints to boards
- Over laminating digital prints
- Applying application tapes, applying double side adhesives and vinyl
- Solid built, laser cut steel structure
- Free heavy duty floor stand with caster wheels
- 3" core auto grip rollers for easy laminating film setup
- 5" bigger rollers for best quality laminating control
- Easy operation panel: Forward, Backward, Foot Pedal Control and various speed adjustments, Emergency Stop Button.
- Removable front worktable for easy film setup
- FMJ-1600-II plus is based on the theory of FMJ-1600-CIIZ, because we have the profound understanding of principle of laminator so a simple new laminator which is auto stripping and collecting back paper is developed.
- It has simple structure, reasonable, humane and low cost characteristics.
- Adopt new style aluminum alloy supporting roller.
- The laminating supporting roller and stripping roller are equipped with forelocks associating with standard 3 inch paper rolls.
- It saves manpower and is easy to operate. As a result of the novel structure it has been a good market since its appearance.
- Since it was produced; it has been popular at the roller for supporting film, guiding roller and roller for collecting liner paper.

• It is operated conveniently and high efficiently - It realizes continuous laminating and longer picture laminating. Realize automatically stripping film and collecting liner paper through the rotary force of the upper and lower roller.

# Product Details



Machine Weight: 204kg **Machine Model:** FMJ-1600-II plus Gross Weight: 264kg

Good color reducibility and light transmittance, free of bubbles and snowflake point! It saves manpower and is easy to operate.






Hotocell safety switch



Bearing of supporting film roller



Power socket, foot pedal switch






Panel for covering the picture



Control panel



New type aluminium alloy supporting roller



Up and down handle



Package






FMJ-1600-II plus stand




Tension knob

The reverse side

0







How to laminate the short pictures? —



How to mount the board? -



Comparison:



**Appearance:** Take reasonable money to buy the suitable machines

**Our machine:** Appearance design of FMJ-1600-II plus semi - auto cold laminating machine has novel, simple and reasonable structure, humane and low cost characteristics.

The other machine: The top right side machine's appearance design is too thin, and it is easy to damage, and it has many questions if you buy.




#### Textile of rollers:

**Our machine:** Adopt high quality diameter 128 mm (5") acrylonitrile butadiene rubber rollers, which can control the quality laminating very well. At the between upper and lower roller the picture laminated is the straight-line movement of internal forces. It saves manpower and is easy to operate. For supporting film, for supporting picture, for collecting liner paper, it

adopts new - style aluminum alloy supporting roller, which is easy to assemble / disassemble and can be used in exchange. The collecting rollers are dynamical rollers and the supporting rollers are without dynamic. All of the rollers are equipped with damp devices and are eligible for speed adjustment.

**The other machine:** The common cold laminator machine adopts normal rubber roller, and up and down roller's thickness is not the same that will affect the laminating effect and machine's using life.



#### Function and maximum laminating thickness

**FMJ-1600-II-PLUS** is semi – auto cold laminator (Automatic take - up rolls of liner paper, without take – up roller for after lamination prints), and its maximum laminating thickness is 25mm (1")

**FMJ-1600-II-MULT** is full – auto roll cold laminator (Automatic take - up roll for both printed images and back paper by one person), roll to roll laminating. And its maximum laminating thickness is 35mm (1.4")

FMJ-1600-II-WARM is upgraded from FMJ-1600-II-MULT, with heat assistant.



Way of lifting roller, please look at above pictures FMJ-1600-II-PLUS is double sides knob lift up. FMJ-1600-II-MULT is one side hand crank lift up, easy to adjust the open height of roller (the laminating thickness).

#### Why buy this semi - auto cold laminator?

Laminating is a low cost way to protect and preserve everything from ID cards to restaurant menus. But did you know lamination does more than just protect? And that it protects in ways you may not have considered.

Lamination Preserves & Protects:

Here are a few ways lamination protects your materials, with an example of each: Protects from spills: Sales presentation materials Protects from rain: Little League team roster Protects from grease and chemicals: Maintenance check list Protects from smudges & fingerprints: menus Protects from abrasion: Instructional materials Protects from the sun: outdoor directional signs Protects from creases and wrinkles: sales promotion material Lamination provides low - cost long - term protection without the need for climate control or other special protective measures.

#### Lamination Improves Appearance:

Lamination improves the appearance of your materials in a variety of ways. For example, lamination:

Deeper and brightens colors; Enhances contrast; Dirt, grease and smudges can be cleaned off; Gloss, matte or satin finishes are available; Lamination gives your materials a finished, professional look of quality. Materials that are laminated just look better!

#### Lamination Can Improve Sales / Save Money:

By giving your materials a higher quality, professional look, lamination can improve your business image and help bring in more sales leads. Lamination can also save you money in a variety of ways, such as:

Laminated materials can be reused over and over

Expensive graphics are protected

Lamination stiffens signs and posters (additional backing is not needed)

Employees have proper identification helping to save time and reduce accidents.

You can make low-cost signs that resist weather

Lamination provides a durable way to protect and enhance almost any type of printed material. It improves the quality of materials by enhancing color and contrast, and providing a glossy "wet" look.

# Application

The cold laminator is used for after printing. Available for photographic, Ad. Shop and copy shop to do lamination work, adding a protective layer on books cover, photographic, color pages, documents, charts, drawings, indoor advertising products, etc.

Purchasing this laminator, it is recommended to buy the cold laminating film together.

1. BS-PY-LAM-100G-36R (3.15mil 36" x 164' Pressure Sensitive Cold Laminating Film 3" Core)

2. CS-CLF-SILK-50R (50" Matte Silk Cold Laminating Film)

3. BS-ZY-LAM-160G-54R (3.15mil 54" x 164' Pressure Sensitive Cold Laminating Film 3" Core)







•

# Production Process



### Quality report:

Serformity Intertive 2006/95/EC AN 50220426 0001 16700309 002					Γ	1								
							668		产品型子		治川病寺			
				Replatation No.: AN 50220426 0001							检查记录			
					1. 1	爭 项目 按接代罪								
	1 -		_				4.8	无景音	无情性	无房屋	¢	復作		
	V.F				17-	1	~ ~							
orial &	T					2	<b>第</b> 份作	2.2	无杜马	无腐蚀	压器板, 前方:	289.0		
Chaoyang District,				-	7 F	<u>,                                     </u>	2.2.42.21	感情来段	接通电缆	无眉毛	光电开	关关键度		
1	-	State of the local division of the				-		*.50.*	操作的意思文			医开放力		
						•	8.5	6.64.8	\$***SEX	*****	0.019	CC 44-Q		
LANDER BU-LANDER BU	•					5	3.0	放風光模仿	没现分样式过	上下数据平行	上下版	と見続き		
- LEVELS BU-LAUGUAR BU-LAUGUAR				0	7 F	$^{+}$		我. 举	Z. 5.9	建築成台	词建	巷定情		
a report introduct out for data	and the second second					•	139.36	无件操作		使杀疗非机利	5.4	初盟音		
non Holder's disposal. This is to card	the first of the second se				L					551965		12.8.1		
ingo Olivacidos. Tris carifficario doss o and dose not permit the use of a Y authorized to use this carifficario in c	Tilly Roads of					: 21	载(冷性)	光气泡	尤捐软		无政策			
a II of the Breedon.					- E		2.6	±7/	功率	e.a	<i>R</i> .	关金		
	8			-	1	eet.	~08	*不会替	の充止項					
No Wat										检查规定	5.7:			
- Tillystraße 2 - 90431 N	Nämberg									检查日月	H: 4 7	1 II		
1 6/10	Me Max Wystrate 2 · 90431 /	$\begin{array}{c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ &$	Wystrafe 2 - 90431 Nämberg	Watnale 2 - 00431 Nimberg	Balani Bysoula 2 - 90431 Nimberg	Hari Minum Na Iam Thystole 2 - 90431 Nimberg	Watana 2 - 90431 Namberg	Hari Minum Na man Thystople 2 - 90431 Nimberg	Hariffinan Hariman Thysnate 2 - 90431 Nimburg	Hai Minut Ha mu Thysnate 2 - 90431 Nimburg	Hai Minua Na man Tayata 2 - 90431 Nimberg	Haiffina Haiman Rysoule 2 - 90431 Nimberg		

### **Specifications**

Model	FMJ-1600-II-PLUS-US						
Maximum Laminating Width	1600mm (63")						
Maximum Laminating Thickness	25mm (1")						
Laminating Speed	0 - 5m (197") / min						
Forward / Reverse	Yes						
Foot Pedal	Yes						
Roller's Diameter	128mm (5")						
Auto rewind liner pickup	Yes						
After Laminating Pickup	No						
Emergency Stops	Yes						
Safety Photocell	Yes						
Media Core Size	3"						
Power Supply	AC 110V - 240V, 50Hz or 60Hz						

### Tags

#### 63" Semi-auto Master Mounting Wide Format Cold Laminator



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com