

# 24" x 16" (600mm x 400mm) Laser Engraving & Cutting Machine

Item Code: LEM-Z-DQ-6040E



FOB Price: **\$4,537/set** 

Mini Order: 1 set

Average Rating: 915.2lb (416kg)

**Inquire Now** 

### **Overview**

Electric up-down lift worktable & Support CorelDraw output directly. High speed, high engraving precision and multi-function.

Main Function: Scan/engrave/cut.

#### Application:

Widely used in wide format engraving and cutting on acrylic, wood board, model board and other nonmetal materials of advertising and decoration, aeromodelling, lamp fittings, craftwork industry, etc. This laser engraving and cutting machine is especially designed to meet the requirements of crafts, advertisement and decoration industries.

#### Materials that can be engraved:

The laser engraving and cutting machine can engrave on most nonmetal materials, such as wood block, bamboo block, cardboard, marble, rubber, goods, organic glass, glass and crystal, leather clothing etc.

#### **Product Highlights:**

- . This laser engraving and cutting machine integrates optics, machinery and electricity, and adopts special laser software, which can design image freely by computer.
- . Adopting special structure and controlling system, kerf is small, cutting edge is smooth, which effectively meet high precision cutting requirement.
- . The laser engraver supports CorelDraw and other graphics manipulation programs. The original photos can be output directly, which can avoid the photos being out of shape and the data being incorrect.
- . Import optical mirrors, high-temperature endurable, anti-abrasive, small diameter of focalizing facula; ensure higher cutting ability compared with the machine of the same laser power.
- . Touching LED control panel, LCD display, completely off-line work, effectively save computer source.







chiller, it ensures the engraving effect	working table, its max. lifting height can be up to 350mm(13.78"), which greatly	Import optical mirrors, high- temperature endurable, anti- abrasive, small diameter of focalize facula; Ensure higher cutting ability compared with the machine of the same laser power.
USA 18 CON		
	. Standard machine is equipped with 50W CO2 glass laser tube made in China with fine engraving and cutting effect and advantage of price.	

- . The laser engraving machine uses a beam of light as the engraving tool, so no part of the machinery actually touches the material being engraved. You don't need a special system to hold down your engraving material.
- . The engraved words and graphs do not fade and can exist permanently and can avoid being forged effectively.

With the following optional devices, more functions are added to the laser engraver machine (prices are not included in the selling laser engraver):



### **Spare Parts:**

Glass laser tube 50W (length: 1m): +\$308

Reflective mirror (Dia.: 20mm, Thickness: 3mm): +\$14

Focus lens (Focus length: 50mm): +\$105

#### **Guarantee & Aftersales Service:**

Laser tube 1000-2000 hours' working time
Comprehensive guarantee for one year except the spare parts
24-hour technical support by email or calling
User-friendly English manual for machine using and maintaining

### Samples:



## **Details**

Max. Engraving Speed	2362.2" (60000mm)/min (speed adjustable)
Engraving Precision	Chinese characters: 0.04" (1mm), English letters:
Support Image Format	BMP, PLT, AI, DXF
Effective Engraving Area	23.62" x 15.75" (600 x 400mm)
Laser Power	CO2 glass tube 50W

# **Specifications**

Model	LEM-Z-DQ-6040E	
Max. Engraving Area	23.62" x 15.75" (600 x 400mm)	
Laser Power	CO2 glass tube 50W(Normal working life about 1000 hours)	
Max. Engraving Speed	2362" (60000mm)/min (speed adjustable)	
Max. Cutting Speed	708.6" (18000mm)/min (Software control)(speed adjustable)	
Max. Cutting Thickness	0.39" (10mm)(Acrylic)	

Resolution	?1000dpi (1000dpi is the best)
Min. Engraving Characters Size	Chinese characters 1mm (0.04"), English letters 0.5mm (0.02")
Positioning Precision	0.0009" (0.025mm)
Cooling Way	Water cooling and protection system
Support Image Format	BMP, PLT, AI, DXF
Engraving Software	Specialized engraving and cutting software
Power Support	AC 220V/50Hz
Environment Temperature	5-35 degree
Interface	LPT, USB
Standard Equipment	Electric up-down lift working table, water chiller, exhaust fan, exhaust pipe, air pump.
Spare Parts	Reflective mirror, lens, and laser tube.
Optional Device	Red light positioning system, penholder rotation clamp, cylinder rotation clamp, three-jaw rotation clamp, CO2 glass laser tube 60W.
Machine Dimension	47" x 30" x 43" (1200 x 750 x 1100mm)
Machine Weight	264.6Lb (120kg)
Package	Fumigation free package
Packing Size	63" x 38" x 53" (1590 x 970 x 1350mm)
Gross Weight	485.0Lb (220kg)

# **Tags**

24" x 16" Laser Engraving Machine Laser Engraving Machine























Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.