



## 3.2m DX7 Eco Solvent Printer

Item Code: LIFP-SHMT-7702L



Mini Order: 1 set

Shipping Weight: ★★☆☆☆

Average Rating: 1358.3lb (617.4kg)

[Inquire Now](#)

### Overview

3.2m Epson DX7 printer has the best combination, super-wide and high precision. It does not only meet the demands of regular advertising printing, but also can accept special orders of super-wide size to get better profit. 3.2m Epson DX7 printer also suitable for the mature company to increase productivity and bring up new business opportunities.

### Features

#### 1. DX-7 Micro Piezo print Technology

DX-7 print head with micro piezo print technology can show not only the excellent printing quality, but also the durability to the Eco-solvent inks. DX-7 print head has a longer and more durable working life. The improvement of printing precision makes the ink droplets smaller, and the stability is better than that of DX-5 print head.

#### 2. 3.2m Super-Wide Print Width

Not only can meet the demands of regular printing, but also accepts the special order of super-wide size and expand the business range. Super-wide inkjet printer can use in the textile and other special fields, and the precision is much better than that of the common solvent printers.

#### 3. Dual Print Head Design

The technology of two print heads is the mature technology that we bring out to the market in the early stage for years.

#### 4. Comprehensive Media Handling

The standard media handling includes the automatic feeding&take up system that can load up as heavy as 200kgs. The heating system and hot air drying system which can now easily print on flex banner and diversity media.

Sample:



## Specifications

Model	LIFP-SHMT-7702L
Print head	Two Epson DX7 Micro-Piezo technology
Number of Nozzles	1440nozzles per head
Color	4 Color: Cyan, Magenta, Yellow, Black
Height of print head	2-5mm
Size of ink-droplet	1.5pl-21pl
Resolution	1440dpi (Max)
Printing Width	3.2m
Printing Speed	High speed Mode: 50.0m2/hour
	Standard Mode: 32.0m2/hour
	Photo Mode:25.0m2/hour
Media Width	3.3m
Media take up	equipped
Media feeder	equipped

Media	self-adhesive paper, PVC, mesh fabric, textile, PVC flex banner, Self Adhesive Vinyl , paper fabric, leather and etc.
Media payload	200kgs
Heating System	Print Heater and Post heater with PID temperature control temperature range: room temperature to 80 centi degree
Ink	Eco Solvent Ink
	Water-based Dye Ink
	Reactive printing ink
Ink Cartridge	8*350ml continuous ink supply
Rip Software	lprint3.0
Control Software	Print Console
Supported Image format	Tiff, Jpeg and other common image formats
Operation System	MS Windows XP& Windows7
Interface	USB2.0 & RS 232
Power Voltage	AC220-240V 50-60HZ or AC110-120V 50-60HZ
Power consumption	1KW (Max), 300W (Printing)
Printing Environment	Temperature: 20-25 centi degree, Humidity: 40-60%
Printer dimension	W4300*D900 * H1250mm
Packing dimension	W4500*D980 * H700mm
Net Weight	380kgs
Gross Weight	565kgs



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com