



3 SMD LED Module, White 5050 LED(62mm x 15mm)

Item Code: LED module-LBY-ZH623F-CWF



FOB Price: **\$1.37/pc**

Mini Order: 200 pcs

Average Rating: 1b (kg)

[Inquire Now](#)


Overview

Characteristic:

- Using high brightness LED SMD as the lamp-house, having wide viewing angle and petty aperture.
- Controlled by the chips with constant current, having constant working current and indiscriminate between the cathode and anode.
- Low voltage, safe and jar less.
- With a settled orifice and 3M gummed paper, very convenient to install.
- Long life time. above 50000hrs.
- Low power consumption, energy conservation and saving electricity.

Application:

This LED SMD module is widely used for solid lighting character, LED signs, LED lighting box, scenery designs, décor, etc.



Details

LED Number	3
SMD Package Model	5050
Color	White
Shape	Rectangular
Brightness	High
Material	Plastic

Specifications

Basic parameters			
Color	White, red, yellow, blue, green	LED type	5050 SMD
LED Qty	3 pcs	Dimension	62 x 15 x 7mm
Module interface	Gray 0.5mm2x75mm RVleads	Interface definition	Gray anode, white cathode
Cluster Qty	20pcs	Module space between	
Weight	15g±5%	Lifespan	MTBF?50000hours
Environment parameters			
Working temperature	-30?~ 50?		
Defend grade	IP65		
Electronic specifications			
Working input voltage	D12V±5%	Max power	0.6W
Driving mode	Invariable Voltage! （Insure every LED working under the invariable voltage）		
Lighting capability			
Luminous flux	54lm		
Beam angle	>120°		



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email: info@sign-in-china.com Tel: +86 132 6410 3286 www.sign-in-china.com