



Sign-in-China

Online Wholesale for AD & Signage Products

Hot Adhesive Melt Powder for Heat Transfer Printing

Item Code: SIT-HTF-BSL-003



FOB Price: ???2 266/??

Mini Order: 1 ??????? (5??s / ???????)

Shipping Weight: ★★★★★

Average Rating: 2.2lb (1kg)

[Inquire Now](#)

Overview

Hot Adhesive Melt Powder for Heat Transfer Printing

Description:

Other Names: Hot melt powder

Main Raw Material: Polyurethane

Usage: Fiber & Garment, Footwear & Leather, Packing

Transfer pressure: 1.5-2kg

Melt point: 115-127°C

Wash temperature: 60°C

Transfer temperature: 125-145°C

Appearance: White powder

Solid content: 100%

Washable: Very well washable

Dry cleaning: general

Drying conditions: Naturally dry or Hot air dry, take complete drying as standard

PRODUCT INTRODUCTION




Hot Melt

Adhesive Powder

PRODUCT DETAILS




APPLICATION




3D thicken effect



Plastisol



Elastic offset printing



Screen printing



EVA

PACKAGE & SHIPPING



FACTORY SHOW



Factory Show

Our factory production area is about 30978 m². We also has quiet good sewage treatment systems, providing an eco-friendly production environment, and standard and fast export package.



Process:



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email: info@sign-in-china.com Tel: +86 132 6410 3286 www.sign-in-china.com