



Sign-in-China

Online Wholesale for AD & Signage Products

????????? ????? Spectra S-CIASS SM-128AA

Item Code: PRH-SPE-004



FOB Price: **??? .62 282/??.**

Mini Order: 1 ??.

Shipping Weight: ★★★★★

Average Rating: 0.4lb (0.2kg)

[Inquire Now](#)

Overview

????????? Spectra S-CIASS SM-128AA

????????? ??? ?????????? ??????: SID UV200S, AGFA 2030 X-2, Jeti 3312 Solvent RTR / Jeti 3318 Solvent RTR / Jeti 3348 HSS / Jeti 3348 JetSpeed RTR / Jeti 3348 UV Galaxy RTR / Jeti 5048 UV XL / Jeti 3150 UV / Jeti 1224 UV / Agfa Jeti 2030 UV, HP Scitex XP2700 / XP2750, Infiniti FY3360AS, Spühl Virtu RS 35/48 / Virtu RS 25/48, Durst Rho 160R / Rho 161 TS / Rho 162 TS / Rho 205 / Rho 315r / Rho 600 / Rho 600 Pictor / Rho 700 HS / Rho 800 Presto, Zünd UVjet 250-Combi, Neolt SuperJet-M 2050 / SuperJet-M 2500 / SuperJet-M 3200

?????????: ????????????

????????:

- ?????????? ?????? Spectra SM-128 AA ?????????????? ?????????? ??? ?????????? ??????????.
- ?????????????? ? ?????? ?????????? ?????????? ?????? ?????? ?????? Spectra SM-128 AA ??????????????.
- ??? ?????????? ?????? ?????? ?????????????????? ?????? ? 64 ?????????? ?????? ? ??????, ?????? ?????? ?????? 128 ???, ?????????????? ? ??? ??? ? ?????? 508 ?????? (0,020 ????) ??? ? ????.

?????????????:

- ?????????????? ?????? 50 ??????????;
- 128 ???;
- ?????????? ?????? ??????????;
- ?????????? ?????? ??????;
- ?????????? ?????? ?????????? ??????;
- ?????????? ?????? ?????????? ??????;
- ?????????? ?????? ??????????;
- ?????????? ?????? ??????????;
- ?????????? ?????? ??????????;

Physical Dimensions		Jetting Characteristics	
	Approximate weight 25 g (0.89 oz)	SM-128 AA Drop Velocity vs. Frequency	
	Nozzle line length 64.5mm (2.54 in.)		
	Base width 83mm (3.3 in.)	SM-128 AA Drop Mass vs. Frequency	
	Base depth 102mm (4.0 in.)		
3mm (0.1 in.)	5mm (0.2 in.)	?????????????	

????????? ?????? Spectra S-Class SM-128 AA ?????????? ?????????? ?????????? ?????????? ?????????? ?????? ??? ?????? ?????? ?????????? ??
????? ?????????? ?????? ?????????? ?????? ?????????? ?????? ?????????? ?????? ?????????? ?????? ?????????? ?????? ?????????? ??????
?????, ??? ???? ???? ?????????? ?????? ?????? ???. ? ?????????? ?? 600 ?????? ?? ???.

??????????;

Specifications

???????	PRH-SPE-004
?????????? ???	128
????????? ????? ???????	508 ??????
????????? ??????	50 ??????
????????????? ?????? ?????	50 ???
????????? ?????????? ?????? ?????	40 - 55 ???
????????? ??????? ??????, 1 ?????*	4%
????????? ????????????, 1 ?????*	3 ??? [0,17°]
????????????? ??????? ??????	8 ?/???
?????????? ????????, 1 ?????*	5%

????????????? ?????????? (?????)	5%
????????????? ??????? ????????????	?? 90°C
?????? ??????? ??????? (? ??????? ??????????????)	8 - 20 ??
??? ??????	?????????????, ??
????????????? ??????? ???????	20 ???

Tags

[Spectra SM-128AA Printhead](#) [Spectra SM-128AA Print head](#) [Spectra Printhead](#) [Spectra Print head](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com