



43" Cabinet Frame Full-auto Single Side Hot Laminator

Item Code: FMJ-1100-RFZX



FOB Price: **\$3,887/set**

Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 704.0lb (320kg)

[Inquire Now](#)

Overview

Cabinet Frame Full-auto Single Roller Heated Model

The FMJ-RFZX laminator series is capable of running a wider range of media with higher speeds; making this laminator ideal for business that are looking to build in extra capacity and more versatility.

It's a perfect fit for owners of lower end laminators, looking to upgrade to a professional production machine.

The machine is available in 43.3" (1100mm), 51.2" (1300mm), 63.0" (1600mm), 66.9" (1700mm), 80.7" (2050mm), and 90.6" (2300mm) models.

Products Highlights:

. This series of cold/hot laminator is updated from the FMJ-RFZ Stand Frame HOT/COLD laminator. The cabinet frame design makes the structure more stable for working.

. 43" (1,092mm), 51" (1,295mm), 63" (1,600mm), 67" (1,702mm), 81" (2,057mm), and 91" (2,311mm) working film width for your convenience.

. 3" (76mm) core auto-grip rollers for easy laminating film setup.

. 5" (127mm) rollers for best quality laminating control. 1" (25mm) maximum nip opening for wide range substrate.

. Easy operation panel:

Forward and backward control

Foot pedal control

Various speed and temperature adjustment

Emergency stop button

. In order to coat different media thickness, the laminator is equipped with a roller that comes with a lifting height indicator.

. Paired with photocell eye, it can protect the roller from damaged.

. Offer industrial performance at exceptional value.

. Good choice for high-end volume user for mounting, laminating and encapsulating projects.

. Roll-to-roll supported operation to maximize productivity.

. Electric model, with stepless speed regulating, with foot pedal switch, including stand.

. Automatic take-up roll for both printed images and back paper.

. Silicone high release rollers for easy cleaning.

Application:

After printing finishing equipment.. Available for photographic, advertising and copy shops to do lamination work, adding protective layer on books cover, photography, color pages, documents, charts, drawings, indoor advertising products, etc.

Applicable laminating medium:
Photopaper, PP, self adhesive, PP, backlit or transparent film.

Warranty and aftersales service:
One year warranty.
24-hour technical services support by email or calling.
User-friendly English manual for machine using and maintenance.

Details

Heating Method	Infrared heating lamp
Laminating Speed	0-196.9" (0-5m)/min
Roller's Diameter	5.0" (128mm)
Max Laminating Thickness	0.9" (23mm)
Max Laminating Width	40.9" (1040mm)
Motor Power	90W
Operating Method	Electric

Specifications

Specification:

Model	FMJ-1100-RFZX
Max. laminating width	43.3" (1100mm)
Max. laminating thickness	1.0" (25mm)
Heated roller	Top
Max. heating temperature	150°C
Laminating speed	0-196.9" (0-5m)/min
Forward / Reverse	Yes
Heating power	2.5KW (Single roller)
Motor power	90W

Foot pedal	Yes
Emergency stop	Yes
Auto rewind liner pickup	Yes
After laminating pickup	Yes
Roller's diameter	5.1" (130mm)
Media core size	3"
Power	The voltage is up to the local requirement, like AC 80V-110V, AC 110V-240V, The current is 50 / 60Hz
Machine dimension	58.3" x 24.0" x 50.4" (1480 x 610 x 1280mm)
Machine weight	250kg (551.2lb)
Package	Fumigation free package
Packing size	61.4" x 27.6" x 56.7" (1560 x 700 x 1440mm)
Gross weight	320kg (705.5lb)

Tags

[43" Cabinet Frame Full-auto Single Side Hot Laminator](#) [43" Single Side Hot Laminator](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com