



Sign-in-China.com
One Stop Solution For AD signs

460*325mm Perfect Binding Machine(Dust-free Spine Roughening Unit)

Item Code: SIC-HY-S460D



Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 141.5lb (64.32kg)

[Inquire Now](#)

Overview



Description:

Paper binding and Jewelled binding in one machine.

Unlike other spine rougher that grinds the spine creating lots of noise and dust. Using this dust-free spine roughening unit, it opens the paper grain with very little noise and there is no paper dust. It makes the machine suitable for handling the most difficult papers and making the solid bound.

Product Details

Introduction

Dust-free Spine Roughening Unit Feathers:

- Two groups of roughening tooth with special angle and interval.
- Convenient to adjust the depth and angle of roughening.
- Grind the spine to strengthen the permeability of glue.
- Compress the spine into a shape of fan to increase the sticking surface.

Product Comparison



VS



Our Products?

- Two groups of roughening tooth with special angle and interval.
- Convenient to adjust the depth and angle of roughening.
- Grind the spine to strengthen the permeability of glue.
- Compress the spine into 'A' shape of fan to increase the sticking surface

Other Products:

No Dust-free Spine Roughening Unit? New mill blade make the binding fastness. But I think their binding effect less than Dust-free Spine Roughening Unit and it make lots dust.

Application





Product Use

The UPS express quick print store:



The picture of the express quick print shop?



Production Process



Quality Inspection:



Specifications

Model	S460D
Min-max binding thickness	0.1?40mm
Max width of the sheet	460*325mm
Max cover thickness	400g/?
Time of gluing	Ten minutes with temperature indicating lamp
Capacity books/hour	Up to 120
Voltage	220V or 110V (Optional)
Dimensions W*D*H	930*395*580mm

Machine Weight	42kg
----------------	------



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com