



## 48" Vinyl Cutters Plotter-With Contour Cutting Function

Item Code: CPM-RS-1360C



FOB Price: **\$601/set**

Price: **\$519/set**

You Save: **\$82.00(14%)**

Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 101.2lb (46kg)

[Inquire Now](#)

### Overview

#### Description:

This 47.2" (1,198.88mm) vinyl cutting plotter has a contour cutting function and is used to cut all kinds of pictures, letters, and similar materials, on self-adhesive vinyl, stickers. It is made in China and comes with one year warranty.

#### Applications:

This cutting plotter is designed for both office and home use. It makes any kind of design and it works faster and easier than other models. It can cut stickers and vinyl decal, masking film for painting or etching, vinyl lettering, decorative scrapbook papers, card stock, stencils, magnetic sheet, signaling, stickers, glass decals signaling, penaflex, etc, As well as all kinds of flexible heat transfer media like: T-shirts, flock, magic cut colored paper for garments, etc.

#### Product Highlights:

- Low cost and high performance machine for the manufacture of signaling.
- Controlled by RISC high speed processor, high speed cache.
- Unique soft impact cutter for smooth cutting.
- This cutting plotter adopts the latest numerical technology: it can regulate the pressure and speed in real-time numerically. This is very convenient and fast.
- It has a perfect output: there's no saw tooth even when using high speed.
- It supports CorelDraw files, bringing great convenience to work.
- The cutting plotter is highly stable and has nearly no malfunction.
- The cutting plotter has a nice appearance and very solid support, to avoid wobbling while cutting.
- The cutting plotter has LCD with a very accurate and simple English Menu, operated it by pressing buttons.
- The plotter's pinch rollers are adjustable, so the paper stays in place when using rolls of media.. With this function, you can use the plotter to make materials for large light boxes.
- This cutting plotter can work with Artcut, Flexi Sign, Signcut, WinPCsgin, SignBalzer, SignLab, etc. CorelDRAW plug-in driver (Cutmate2.0) is available for this machine. It supports direct cut-outs from 'CorelDRAW' 11, 12, X3.

#### Standard accessories:

- WinPCSign basic 2009 (Contour cutting version).
- User Manual (CD), CorelDraw driver Cutmate2.3.(optional)

- 1 RS232 serial cable.
- 1 power cable.
- 3 cutting blades.
- 1 blade holder.
- 1 pen holder.
- 1 coat for the plotter.
- 1 deluxe aluminum stand.



CE mark and power supply



Control penal



Press paper holder



Standard accessories



USB interface



Software and driver disc

**Spare parts:**  
 Roland blade (30, 45, and 60 degrees): + \$1.5 (common blade) / \$3.00 (A-grade blade)  
 Cutting mat: +\$5.00

**Warranty and Aftersales Service:**  
 Comprehensive warranty for one year except for spare parts.  
 24-hour technical support by email or telephone.  
 User-friendly English manual for machine use and maintenance.

Details

|                        |                         |
|------------------------|-------------------------|
| Interface              | COM and LPT             |
| Control Panel          | Over-head, LCD keyboard |
| Cutter Press           | 10-500g                 |
| Cutting Precision      | 0.01mm                  |
| Max. Cutting Thickness | 0.1" (1.2mm)            |
| Max. Cutting Speed     | 23.6" (600mm)/s         |
| Max. Cutting Width     | 47.2" (1200mm)          |
| Max. Paper Feed Width  | 53.5" (1360mm)          |

## Specifications

| Model                            | CPM-RS-1360C                                       |
|----------------------------------|--|
| Paper Feeding Mode               | Floor stand  |
| Control Panel                    | Over-head, LCD keyboard                            |
| Driver                           | Stepper motor                                      |
| Maximum Paper Feeding Width      | 53.5" (1360mm)                                     |
| Maximum Cutting Width            | 47.2" (1200mm)                                     |
| Maximum Cutting Speed            | 23.6" (600mm)/s                                    |
| Maximum Cutting Length           | 3937.0" (100m) and up                              |
| Maximum Cutting Thickness        | 0.1" (1.2mm)                                       |
| Knife Press                      | 10-500g  |
| Minimum Size for Cutting Letters | 0.2" (5mm)   |
| Repetition Precision             | 0.01mm   |
| CPU                              | RISC CPU   |
| Type of Tool                     | Carbide blade                                      |
| Type of Plot Pen                 | All types of plot pens with a 0.5" (12mm) diameter |
| Plotting Instruction             | HPGL   |
| Interface                        | RS232/USB  |
| RAM                              | 4M   |
| Real cutter softball             | ?  |
| Emergency stop                   | ?  |
| Power Supply                     | AC90V-AC240V 50Hz-60Hz                             |
| Power Consume                    |  |
| Machine Dimensions               | 59.8"×9.4"×8.7" (1520×240×220mm)                   |
| Machine Weight                   | 55.1lb (25kg)                                      |

|              |   |
|--------------|---|
| Packaging    | Carton box or wooden box                    |
| Packing Size | 66.9"×13.0"×16.1" (1700×330×410mm)          |
| Gross Weight | 59.5lb (27kg)                               |
| Temperature  | +5°C to +35°C, relative temperature 30%-70% |

## Tags

[48" contour cutting plotter](#) [48" Vinyl Cutters Plotter](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com