



51" Cabinet Frame Full-auto Single Side Hot Laminator

Item Code: FMJ-1300-RFZX



FOB Price: **\$4,111/set**

Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 781.0lb (355kg)

[Inquire Now](#)

Overview

Cabinet Frame Full-auto Single Roller Heated Model

The FMJ-RFZX series laminator is capable of running a wider range of media and can generate higher process speeds, which make this range of machines ideal for business that are looking to build in extra capacity and more versatility.

A perfect fit for owners of lower-end laminators, looking to upgrade to a professional production machine.

Available in 43.3" (1100mm), 51.2" (1300mm), 63.0" (1600mm), 66.9" (1700mm), 80.7" (2050mm), 90.6" (2300mm) model.

Products Highlights:

- . This series of cold/hot laminator is updated from FMJ-RFZ Stand Frame HOT/COLD Laminator. Cabinet frame design makes the structure more steady, working more stable.
- . 43", 51", 63", 67", 81", 91" Maximum working film width for your option.
- . 3" core auto-grip rollers for easy laminating film setup.
- . 5" bigger rollers for best quality laminating control. Maximum nip opening up to 1" for a wide material range of film and substrate.
- . Easy operation panel:
 - Forward, Backward
 - Foot Pedal Control
 - Various speed and temperature adjustment
 - Emergency Stop Button
- . In order to coating different thickness of material, the laminator is equipped with indicator for lifting height of roller.
- . Matched with photocell eye, it can protect the roller from damaged.
- . Offer industrial performance at exceptional value.
- . Good choice for high-end high volume user for mounting, laminating and encapsulating projects.
- . Support **Roll to Roll operation**- maximize your productivity.
- . Electric model, stepless speed regulating, with foot pedal switch, including stand.
- . Taking up and rolling back paper and picture automatically.
- . High release silicone rollers-for easy cleaning.

Application:

Laminator is belong to after printing equipment. Available for photographic, Ad. Shop and copy shop to do lamination work, adding a protective layer on books cover, photographic, color pages, documents, charts, drawings, indoor advertising products, etc.

Applicable Laminating Medium:
Photopaper, PP, part of self adhesive PP, backlit film or transparent film.

Guarantee & Aftersales Service:
Comprehensive guarantee for one year.
24-hour technical support by email or calling.
User-friendly English manual for machine using and maintaining.

Details

| | |
|--------------------------|-----------------------|
| Heating Method | Infrared heating lamp |
| Laminating Speed | 0-196.9" (0-5m)/min |
| Roller's Diameter | 5.0" (128mm) |
| Max Laminating Thickness | 0.9" (23mm) |
| Max Laminating Width | 50.4" (1280mm) |
| Operating Method | Electric |
| Motor Power | 90W |

Specifications

Specification:

| Model | FMJ-1300-RFZX |
|---------------------------|-----------------------|
| Max. Laminating Width | 51.2" (1300mm) |
| Max. Laminating Thickness | 1.0" (25mm) |
| Heated Roller | Top |
| Max. Heating Temperature | 150°C |
| Laminating Speed | 0-196.9" (0-5m)/min |
| Forward / Reverse | Yes |
| Heating Power | 2.5KW (Single roller) |
| Motor Power | 90W |
| Foot Pedal | Yes |
| Emergency Stop | Yes |

| | |
|--------------------------|--|
| Auto Rewind Liner Pickup | Yes |
| After Laminating Pickup | Yes |
| Roller's Diameter | 5.1" (130mm) |
| Media Core Size | 3" |
| Power | The voltage is up to the local requirement, like AC 80V-110V, AC 110V-240V, The current is 50 / 60Hz |
| Machine Dimension | 66.1"*24.0"*50.4" (1680*610*1280mm) |
| Machine Weight | 639.3lb (290kg) |
| Package | Fumigation free package |
| Packing Size | 68.5"*27.6"*56.7" (1740*700*1440mm) |
| Gross Weight | 782.6lb (355kg) |

Tags

[51" Cabinet Frame Full-auto Single Side Hot Laminator](#) [Hot Laminator](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com