



Sign-in-China.com
One Stop Solution For AD signs

51" x 98" (1300mm x 2500mm) Heavy-Duty Stone/Glass CNC Router

Item Code: CNCR-SD-1325SAI Plus



FOB Price: **\$12,848/set**

Price: **\$10,999/set**

You Save: **\$1849.00(14%)**

Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 2728.0lb (1240kg)

[Inquire Now](#)

Overview

Application

This series CNC engraver mainly used for processing many kinds of hard materials like marble, granite, glass, floor tile and soft metal.

Main Configuration Information

Engraving Area: 1300*2500mm

Height of Gantry Lift: 300mm

Max. Travel Speed: 20m/min(NcStudio controlling system)

Spindle Power: 5.5KW water cooled

Machine Body: One-piece cast Iron, Water cooling circulation system+spray nozzle+Front and back of machine with **pulley gear and water tank**.


Pulley gear installed in the front of working table for loading stone easily, it is very convenient for moving stone. Water tank installed at the back of working table for storing water.

X, Y axis adopt helical rack gear wheel transmission, which increase machine's using intensity and service life. Z axis adopts ball screw transmission ensures the precision in processing.

X, Y, Z axis adopt round rods guide structure, resistant and anticorrosion. High quality fittings make the machine drive smoothly.

NcStudio controlling system.

15 pcs engraving tools for stone engraving.



Pulley gear	Water tank
-------------	------------

Standard Accessories

image not found userfiles/2011-May/01Clamp and screws	image not found userfiles/2011-May/02Engraving bits collets and nuts	image not found userfiles/2011-May/03PCI Control card	image not found userfiles/2011-May/04Power cable and date cable
Clamp and screws	Engraving bits collets and nuts	PCI Control card	Power cable and date cable
image not found userfiles/2011-May/05Engraving software	image not found userfiles/2011-May/06Shrink tube	image not found userfiles/2011-May/07User Manual	image not found userfiles/2011-May/08Water pump.jpg
Ucancam V8 engraving software	Shirk tube	User Manual	Water pump

Spare Parts

Engraving Tool: Please visit http://www.sign-in-china.com/catalogs/136/Engraving_bits.html to find suitable tools.

Guarantee&Aftersales Service

Comprehensive guarantee for one year except the spare parts.
24-hour technical support by email or calling.
User-friendly English manual for machine using and maintaining.

Samples:



Details

Interface	USB
Engraving Software	Ucancam V8
Type Of Worktable	Water coolling circulation system+spray nozzle
Repetition Precision	0.01mm
Engraving Precision	mm/Pulse 0.001
Rotational Speed Of Spindle	2,4000rpm/min
Maximum Engraving Speed	20m(787")/min
Spindle Power	5.5KW
Maximum Engraving Area	1300*2500mm

Specifications

Specification Form	
Operating System	Windows98/2000/XP
Max. Engraving Area	1300*2500mm(51"*98")
Spindle Power	5.5KW water-cooled
Worktable Size	1500*3110mm(59"*122")
Working Voltage	AC380V, 50Hz
Transducer	5.5KW
Max. Carve Height	300mm(11.8")
Max. Carve Speed	<20m(787")/min
Command	G code, u00 *.plt
Resolution	(mm/Pulse 0.001)
Repeat Precision	0.01mm
Rotational of Spindle	2,4000rpm/min
Engraving Tool Dia.	12, 6, 4, 3.175mm
Z Axis Driver	Stepper motor
Clamping Unit	8 sets
Engraving Software	Ucancam V8
Control System	Ncstudio system
Machine Dimension	1710*3240*1650mm(67"*128"*65")
Machine Weight	960kg
Package	Wooden case
Packing Size	3600*2180*1800mm(142"*86"*71")
Gross Weight	1240kg

Tags

[51" x 98" Glass CNC Router](#) [51" x 98" Stone CNC Router](#) [CNC Router](#) [Glass CNC Router](#) [Stone CNC Router](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com