



63" Cabinet Frame Full-auto Single Side Hot Laminator

Item Code: FMJ-1600-RFZX



FOB Price: **\$3,952/set**

Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 926.9lb (421.34kg)

[Inquire Now](#)

Overview

Cabinet frame full-auto single roller heated model

The FMJ-RFZX series laminator is capable of running a wider range of media and generates higher process speed, which makes this range of machines ideal for business that are looking to build in extra capacity and more versatility.

The machine is perfect for owners of lower-end laminators, looking to upgrade to a professional production machine.

This laminator is available in different sizes: 43.3" (1,100mm), 51.2" (1,300mm), 63.0" (1,600mm), 66.9" (1,700mm), 80.7" (2,050mm), 90.6" (2,300mm)

Product highlights:

- . This series of cold/hot laminator is an updated version of the FMJ-RFZ Stand Frame HOT/COLD Laminator. The cabinet frame design makes the structure more stable for work.
- . This laminator is available in different sizes: 43.3" (1,100mm), 51.2" (1,300mm), 63.0" (1,600mm), 66.9" (1,700mm), 80.7" (2,050mm), 90.6" (2,300mm)
- . .3" (76.9mm) core auto-grip rollers for easy laminating film setup.
- . 5" (127mm) bigger rollers for best quality laminating control. Maximum nip opening up to 1" (25.4mm) for wide material range of film and substrate.
- . Easy operation panel:
 - Forward, Backward
 - Foot Pedal Control
 - Various speed and temperature adjustment
 - Emergency Stop Button
- . In order to get different thicknesses of coating on the material, the laminator is equipped with an indicator for lifting height of roller.
- . Matched with photocell eye, it can protect the roller from damaged.
- . Offer industrial performance at exceptional value.
- . Good choice for high-end and high volume used for mounting, laminating and encapsulating projects.
- . Support roll-to-roll operation, to maximize your productivity.
- . Electric model, stepless speed regulation foot pedal switch, stand included.
- . Automatically taking up and rolling back material.
- . High release silicone rollers-for easy cleaning.

Application:

Laminator belongs to after printing equipment. They are available for photography, advertising shop and copy shop to do lamination work; adding a protective layer on books cover, photography, color pages, documents, charts, drawings, indoor advertising products, etc.

Applicable laminating medium:
Photopaper, PP, part of self-adhesive PP, backlit film or transparent film.

Warranty and aftersale services:
Warranty for one year.
24-hour technical support by email or phone .
User-friendly English manual, which explains how to operate the machine and the maintenance that is required.

Details

Motor Power	90W
Heating Method	Infrared heating lamp
Laminating Speed	0-196.9" (0-5m) / min
Roller's Diameter	5.0" (128mm)
Max Laminating Thickness	0.9" (23mm)
Operating Method	Electric
Max Laminating Width	62.2"(1580mm)

Specifications

Specification:

Model	FMJ-1600-RFZX
Max. laminating width	62.2"(1580mm)
Max. laminating thickness	1.0" (25mm)
Heated roller	Top
Max. heating temperature	150°C
Laminating speed	0-196.9" (0-5m) / min
Forward / Reverse	Yes
Heating power	2.5KW (Single roller)
Motor power	90W
Foot pedal	Yes

Emergency stop	Yes
Auto rewind liner pickup	Yes
After laminating pickup	Yes
Roller's diameter	5.1" (130mm)
Media core size	3"
Power	The voltage is up to the local requirement, like AC 80V-110V, AC 110V-240V, The current is 50 / 60Hz
Machine dimension	78.0"×24.0"×50.4"(1980×610×1280mm)
Machine weight	705.5lb (320kg)
Package	Fumigation free package
Packing size	82.3"×27.6"×56.7" (2090×700×1440mm)
Gross weight	837.8lb (380kg)

Tags

[63" Cabinet Frame Full-auto Single Side Hot Laminator Machine](#) [Hot Laminator Machine](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com