

63" Low Temp Cold Laminator Machine

Item Code: FMJ-1600-RFX



FOB Price: **\$2,687/set**

Mini Order: 1 set

Average Rating: 440.0lb (200kg)

Inquire Now

Overview

Application: After printing equipment. Available for Ad. Shop, photographic, and copy shop to do lamination work, adding a protective layer on books cover, photographic, color pages, documents, charts, drawings, indoor advertising products, etc.

Applicable Laminating Medium: Photo paper, self adhesive PP, backlit film or transparent film.

Product Highlights:

FMJ-1600-RFX cold laminator adopts low temperature cold laminating technology-mainly used to solve the issue that cold laminated images are hazy.

Driven by electric, includes floor stand and foot pedal switch

Electric model, stepless speed regulating.

It comes with foot pedal with forward and reverse control to free your both hands to handle the work being processed.

High release silicone rollers - for easy cleaning.

Note: If you want to use cold laminating film for single laminating or mounting (thickness less than **0.2**"), and your max. Laminating width is **63.0**" **(1600mm)**, this low temp cold laminator is your best choice.

Operating Method: Electric

Max. Laminator Width: 63.0" (1600mm)
Roller's Diameter: 4.0" (102mm)
Max. Laminating Thickness: 0.2" (5.5mm)

Max. Heating Temperature: 60 degree

Laminating Speed: From '0' to 157.5" (4000mm) per minute

Foot Pedal: Yes Forward/Reverse: Yes Machine Color: Red or black

Lifting Mode for Rollers: Manual Lifting on one side

Heating Power: 2.5KW (Single roller)

Motor Power: 90W

Power Supply: The voltage is up to the local requirment, like AC 80V-110V, AC 110V-240V, the frequency is 50Hz or 60Hz.

Details

Motor Power	90W
Heating Method	infrared heating lamp
Laminating Speed	From `0` to 157.5" (4000mm) per minute
Roller's Diameter	4.0" (102mm)
Max Laminating Thickness	0.2" (5.5mm)
Max Laminating Width	63.0" (1600mm)
Operating Method	Electric

Specifications

Specification Form	
Operating Method	Electric
Max. Laminator Width	63.0" (1600mm)
Roller's Diameter	4.0" (102mm)
Max. Laminating Thickness	0.2" (5.5mm)
Max. Heating Temperature	60 degree
Laminating Speed	From `0` to 157.5" (4000mm) per minute
Foot Pedal	Yes
Forward/Reverse	Yes
Machine Color	Red or black
Lifting Mode for Rollers	Manual Lifting on one side
Heating Power	2.5KW (Single roller)
Motor Power	90W
Power Supply	The voltage is up to the local requirment, like AC 80V-110V, AC 110V-240V, the frequency is 50Hz or 60Hz.

Tags





















Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com