


63" Master Mounting Cold Laminator Machine

Item Code: FMJ-1600-II plus



Overview

FMJ-1600-II plus: MASTER MOUNTING COLD Laminator

FMJ-II plus series clod laminator is based on the theory of FMJ-CIIZ series, master mounting cold laminating Equipped with foot-pedal switch, no need to heat.

A perfect fit for entry level customer, who looking for an affordable and professional cold laminator for their projects

This new model can be widely used for pre-masking vinyl graphic, mount prints on substrate, over laminating inkjet prints and so on.

Application:

The cold laminator is used for after printing. Available for photographic, Ad. Shop and copy shop to do lamination work, adding a protective layer on books cover, photographic, color pages, documents, charts, drawings, indoor advertising products, etc.




hotocell safety switch



The baffle-board of photocell safety switch



Control panel



New type aluminium alloy supporting roller-1



Bearing of supporting

film roller







FMJ-1600-II plus Stand



Tension Knob



The reverse side



Up and down handle

Package

Power socket, foot pedal switch

Applicable Laminating Medium:

Photopaper, self adhesive PP, backlit film or transparent film.

Guarantee & Aftersales Service:

Comprehensive guarantee for one year.

24-hour technical support by email or calling.

User-friendly English manual for machine using and maintaining.

Product Highlights:

. 55", 63" Maximum working film width for your option.

. 5" bigger rollers for best quality laminating control. Maximum nip opening up to 1" for a wide material range of film and substrate.

. FMJ-1600-II plus is based on the theory of FMJ-1600-CIIZ, because we have been the profound understanding principle of laminator so a simple new laminator which is auto stripping and collecting back paper is developed.

. The cold laminator has simple structure, reasonable, humane and low cost characteristics.

. The cold laminator saves manpower and is easy to operate. As a result of the novel structure it has been a good market since it is appeared.

. Since it was produced; it has been popular at the roller for supporting film, guiding roller and roller for collecting back-paper.

. The cold laminator is operated conveniently and high efficient-It can be continued laminating or the longer picture laminated and realizing the automatic stripping film and collecting back-paper which rely on the rotary force of the upper and lower roller.

Details

Motor Power ----Laminating Speed 0-196.9" (0-5m) / min

Heating Method	no need to heat
Operating Method	Electric, Manual
Roller's Diameter	5.1" (130mm)
Max Laminating Thickness	0.9" (23mm)
Max Laminating Width	63.0"(1600mm)

Specifications

Specification:

Model	FMJ-1600-II plus
Max. Laminator Width	63.0"(1600mm)
Max. Laminating Thickness	0.9" (23mm)
Laminating Speed	0-196.9" (0-5m) / min
Forward / Reverse	Yes
Foot Pedal	Yes
Roller's Diameter	5.1" (130mm)
Auto rewind liner pickup	Yes
After Laminating Pickup	No
Media Core Size	3"
Power Supply	AC 80V-110V, AC 110V-240V, 50Hz or 60Hz
Motor Power	60W
Machine Weight	595.3" (270kg)
Machine Dimension	70.3" x 25.8" x 54.7" (1785 x 655 x 1390mm)
Package	Fumigation free package
Packing Size	76.0" x 19.7" x 24.8" (1930 x 500 x 630mm) (wooden case) 33.5"*22.8"*7.9" (850*580*200mm) (carton case)
Gross Weight	507.0lb (230kg)(wooden case) 75.0lb (34kg)(carton case)

Tags

63" Master Mounting Cold Laminator Machine Cold Laminator Machine



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com