



63" Standard Electric Cold Laminator Machine

Item Code: FMJ-1600-CII



FOB Price: **\$1,095/set**

Mini Order: 1 set

Average Rating: 1b (kg)

[Inquire Now](#)

Overview

FMJ-II Series ELECTRIC COLD Laminator

Driven by electric or manual (for option).

No auto rewind shafts, no need to heat, include stand.

Available in 39.4" (1000mm), 51.2" (1300mm), 63.0" (1600mm), 66.9" (1700mm), 80.3" (2040mm) max. laminating width.

This series cold laminator at a price that fit your budget and guarantee a quality result.

Product Highlights:

- . 40", 51", 63", 67", 67", 80" Maximum working film width for your option.
- . 5" bigger rollers for best quality laminating control. Maximum nip opening up to 1" for a wide material range of film and substrate.
- . Electric operation. The easy speed control makes your daily job handlier.
- . The cold laminator comes with foot pedal with forward and reverse control to free your hands to handle the work being processed.
- . This unit is great for mounting print to boards, applying application tapes, applying double side, adhesives and vinyls, save time and no hassles.

Application:

The cold laminator is used for after printing. Available for photographic, Ad. Shop and copy shop to do lamination work, adding a protective layer on books cover, photographic, color pages, documents, charts, drawings, indoor advertising products, etc.

Applicable Laminating Medium:

Photopaper, self adhesive PP, backlit film or transparent film.

Guarantee & Aftersales Service:

Comprehensive guarantee for one year.

24-hour technical support by email or calling.

User-friendly English manual for machine using and maintaining.

Details

| | |
|--------------------------|---------------------------------------|
| Motor Power | 40W |
| Heating Method | --- |
| Laminating Speed | 0-196.9" (0-5m)/min(Speed adjustable) |
| Roller's Diameter | 5.1" (130mm) |
| Max Laminating Thickness | 0.9" (23mm) |
| Max Laminating Width | 63.0"(1600mm) |
| Operating Method | Electric,Manual |

Specifications

| Model | FMJ-1600-CII |
|---------------------------|--------------------------------------|
| Max. Laminating Width | 63.0"(1600mm) |
| Max. Laminating Thickness | 0.9" (23mm) |
| Laminating Speed | 0-196.9" (0-5m) / min |
| Forward / Reverse | Yes |
| Foot Pedal | Yes |
| Roller's Diameter | 5.1" (130mm) |
| Auto rewind liner pickup | No |
| After Laminating Pickup | No |
| Media Core Size | 3" |
| Motor Power | AC 40W |
| Power Supply | AC 80V-110V, AC 110V-240V, 50 / 60Hz |
| Machine Weight | 432.1lb (196kg) |
| Machine Dimension | 72.0"*23.6"*35.8" (1830*600*910mm) |
| Package | Fumigation free package |

| | |
|--------------|---|
| Packing Size | 76.0"*19.3"* 24.8" (1930*490*630mm) (wooden case) 26.8"*24.8"*9.4" (680*630*240mm) (carton case) |
| Gross Weight | Wooden case:410.1(186kg),Carton case: 83.8lb (38kg) |

Tags

[63" Standard Electric Cold Laminator Machine](#) [Cold Laminator Machine](#)



NETSUITE®
ONE SYSTEM. NO LIMITS.

PayPal



Member
INTERNATIONAL
SIGN ASSOCIATION



Member
SGIA
Specialty Graphic Imaging Association



ACCREDITED
BUSINESS

Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com