

81" Cabinet Frame Full-auto Single Side Hot Laminator

Item Code: FMJ-2050-RFZX



FOB Price: \$6,908/set

Mini Order: 1 set

Shipping Weight: 🜟 🌟 🦟 🤯

Average Rating: 1166.0lb (530kg)

Inquire Now

Overview

Cabinet Frame Full-auto Single Roller Heated Model

The FMJ-RFZX series laminator is capable of running a wider range of media and can generate higher process speeds, which make this range of machines ideal for business that are looking to build in extra capacity and more versatility.

A perfect fit for owners of lower-end laminators, looking to upgrade to a professional production machine.

Available in 43.3" (1100mm), 51.2" (1300mm), 63.0" (1600mm), 66.9" (1700mm), 80.7" (2050mm), 90.6" (2300mm) model

Products Highlights:

- .This series of cold/hot laminator is updated from FMJ-RFZ Stand Frame HOT/COLD Laminator. Cabinet frame design makes the structure more steady, working more stable.
- . 43", 51", 63", 67", 81", 91" Maximum working film width for your option.
- . 3" core auto-grip rollers for easy laminating film setup.
- . 6" bigger rollers for best quality laminating control. Maximum nip opening up to 1" for a wide material range of film and substrate.
- . Easy operation panel:
 - Forward, Backward
 - Foot Pedal Control
 - Various speed and tempreture adjustment
 - **Emergency Stop Button**
- . In order to coating different thickness of material, the laminator is equipped with indicator for lifting height of roller.
- . Matched with photocell eye, it can protect the roller from damaged.
- . Offer industrial performance at exceptional value.
- . Good choice for high-end high volume user for mounting, laminating and encapsulating projects.
- . Support Roll to Roll operation- maximize your productivity.
- . Electric model, stepless speed regulating, with foot pedal switch, including stand.
- . Taking up and rolling back paper and picture automatically.
- . High release silicone rollers-for easy cleaning.

Application:

Laminator is belong to after printing equipment. Available for photographic, Ad. Shop and copy shop to do lamination work, adding a protective layer on books cover, photographic, color pages, documents, charts, drawings, indoor advertising products, etc.

Applicable Laminating Medium:

Photopaper, PP, part of self adhesive PP, backlit film or transparent film.

Guarantee & Aftersales Service:

Comprehensive guarantee for one year. 24-hour technical support by email or calling. User-friendly English manual for machine using and maintaining.

Details

Motor Power	90W
Heating Method	Infrared heating lamp
Laminating Speed	0-196.9" (0-5m)/min
Roller's Diameter	6.1" (155mm)
Max Laminating Thickness	0.9" (23mm)
Max Laminating Width	79.1" (2010mm)
Operating Method	Electric

Specifications

Specification:

Model	FMJ-2050-RFZX
Max. Laminating Width	80.7" (2050mm)
Max. Laminating Thickness	1.0" (25mm)
Heated Roller	Тор
Max. Heating Temperature	150°C
Laminating Speed	0-196.9" (0-5m) / min
Forward / Reverse	Yes
Heating Power	2.5KW
Motor Power	90W
Foot Pedal	Yes
Emergency Stop	Yes

Auto Rewind Liner Pickup	Yes
After Laminating Pickup	Yes
Roller's Diameter	6.1" (155mm)
Media Core Size	3"
Power	The voltage is up to the local requirement, like AC 80V-110V, AC 110V-240V, The current is 50 / 60Hz
Machine Dimension	95.3"*25.2"*50.4" (2420*640*1280mm)
Machine Weight	1058.2lb (480kg)
Package	Fumigation free package
Packing Size	102.4"*29.5"*58.3" (2600*750*1480mm)
Gross Weight	1164.0lb (528kg)

Tags

81" Cabinet Frame Full-auto Single Side Hot Laminator Machine Hot Laminator Machine























Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com