



90" Cabinet Frame Full-auto Single Side Hot Laminator

Item Code: FMJ-2300-RFZX



FOB Price: **\$8,936/set**

Mini Order: 1 set

Shipping Weight: ★★☆☆☆

Average Rating: 1342.0lb (610kg)

[Inquire Now](#)

Overview

Cabinet Frame Full-auto Single Roller Heated Model

The FMJ-RFZX series laminator is capable of running a wider range of media and can generate higher process speeds, which make this range of machines ideal for business that are looking to build in extra capacity and more versatility.

A perfect fit for owners of lower-end laminators, looking to upgrade to a professional production machine.

Available in 43.3" (1100mm), 51.2" (1300mm), 63.0" (1600mm), 66.9" (1700mm), 80.7" (2050mm), 90.6" (2300mm) model

Products Highlights:

- . This series of cold/hot laminator is updated from FMJ-RFZ Stand Frame HOT/COLD Laminator. Cabinet frame design makes the structure more steady, working more stable.
- . 43", 51", 63", 67", 81", 91" Maximum working film width for your option.
- . 3" core auto-grip rollers for easy laminating film setup.
- . 6" bigger rollers for best quality laminating control. Maximum nip opening up to 1" for a wide material range of film and substrate.
- . Easy operation panel:
 - Forward, Backward
 - Foot Pedal Control
 - Various speed and temperature adjustment
 - Emergency Stop Button
- . In order to coating different thickness of material, the laminator is equipped with indicator for lifting height of roller.
- . Matched with photocell eye, it can protect the roller from damaged.
- . Offer industrial performance at exceptional value.
- . Good choice for high-end high volume user for mounting, laminating and encapsulating projects.
- . Support **Roll to Roll operation**- maximize your productivity.
- . Electric model, stepless speed regulating, with foot pedal switch, including stand.
- . Taking up and rolling back paper and picture automatically.
- . High release silicone rollers-for easy cleaning.

Application:

Laminator is belong to after printing equipment. Available for photographic, Ad. Shop and copy shop to do lamination work, adding a protective layer on books cover, photographic, color pages, documents, charts, drawings, indoor advertising products, etc.

Applicable Laminating Medium:
Photopaper, PP, part of self adhesive PP, backlit film or transparent film.

Guarantee & Aftersales Service:
Comprehensive guarantee for one year.
24-hour technical support by email or calling.
User-friendly English manual for machine using and maintaining.

Details

Heating Method	Infrared heating lamp
Laminating Speed	0-196.9" (0-5m)/min
Roller's Diameter	6.1" (155mm)
Max Laminating Thickness	0.9" (23mm)
Max Laminating Width	89.8" (2280mm)
Operating Method	Electric
Motor Power	90W

Specifications

Specification:

Specification Form	
Operating Method:	Electric
Laminating Width:	89.8" (2280mm)
Roller's Diameter:	6.1" (155mm)
Lifting Height for Top Roller:	0.9" (23mm)
Laminating Speed:	0-196.9" (0-5m)/min(speed adjustable)
Lifting Mode for Top Roller:	Manual lifting one side
Motor Power:	90W
Power Supply:	The voltage is up to the local requirment, like AC 80V-110V, AC 110V-240V, AC 380V; The current is 50Hz or 60Hz. (Please tell us your country before you make an order)
MOQ:	1 set

Tags

[90" Cabinet Frame Full-auto Single Side Hot Laminator Machine](#) [Hot Laminator Machine](#)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com