


# 94" (2400mm) Acrylic Bender

## Item Code: ABM-SB-2400A



**Overview** 

#### For non-metal materials. Automatic and manual functions.

#### **Applications:**

The Acrylic bending machine is suitable for bending non-metal materials, such as acrylic, PVC, PE, PS, ABS, PP, etc.

#### Features:

- . Automatic and manual function with CNC operations.
- . Automatic function to bend the sheet.
- . Softening crevice can be adjusted according to the thickness of plate.
- . The heating plate can be fixed avoiding defamation.
- . The Acrylic Bending Machine has an infrared heating system to prolong the lifespan for more time rather than the hot furnace filament.
- . The temperature and working voltage can be adjusted according to the material and thickness.
- . Water circulation protects the configuration and the overheating alarm temperature ensures the safety of the machine.
- . The current package protects the equipment.
- . Bending acrylic support for PVC, PE, PS, ABS, PP and more.
- . Thickness range ending 0.8mm to 6.00mm(there is no need to cut a slot on the sheet)
  - 6.00mmto 20.00mm(there is need to cut a slot on the sheet)

#### Warranty and after sales services:

One year of warranty except the spare parts. 24 hours technical support by mail or phone. User friendly English manual on how to use the machine and accomplish the maintenance.

#### Samples:



### **Details**

Main Application

Vacuum forming

# **Specifications**

Specifications		
Model	ABM-SB-2400A	
Angle	30°180° (0-180° for option)	
Overall Length	2280mm	
Overall Width	440mm	
Bending Thickness	0.8mm~20mm	
Overall Height	1100mm	
Working Length	2400mm	
Power	7.5KW (Working power 2.5Kw)	
Machine Dimensions	3200×440×1100mm	

Machine Weight	220kg
Package	Fumigation free package
Packing Size	3200×650×1410mm
Gross Weight	260kg



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com