



CO2 Laser Marking Machine-70W

Item Code: LMM-MK-B70



FOB Price: **\$34,043/set**

Mini Order: 1 set

Shipping Weight: ★★☆☆☆

Average Rating: 660.0lb (300kg)

[Inquire Now](#)

Overview

Product Highlights:

- ?It is especially used in non-metal materials, it has a good performance.
- ?Easy maintenance (it uses a RF CO2 laser 30W made in USA; with a lifespan of 20,000 working hours).
- ?Highest laser power and a faster speed process.
- ?It is easy to operate (No Q-switch adjusting).
- ?It includes the American design of the encapsulation system CO2 laser generator, with a high speed scanner and extender focus system with a high marking precision and speed.
- ?The laser generator height can be adjusted and it can be replaced with other lenses.
- ?It has a long lifespan with an excellent marking effect and multifunctional software.
- ?It comes with custom-made accessories, up and down exhaust air system, honeycomb work table, knife shape working table and baffle plate to improve the operating process.

Application:

- ?It is widely used in industries such as leather, jeans, weaving, plastic, escutcheon, package, arts and crafts, electronics, communication, timekeeper, glass, printing and decoration industries.
- ?It could be used on materials like leather, jeans, organic-glass, acrylic, woodwork, epoxy colophony, non-saturation colophony, glass ceramic, PCB board and non-metal materials.

Warranty and after sale services:

- ?One year warranty, at the arrival of destination port. If there is a damaged part in the warranty time (1 year), the buyer must send an e-mail explaining the situation, a new part will be sent; there will be training at the moment of the purchase, so the owner will know how to change the parts of the machine.
- ?If there is need of a training, maintenance or technical support outside Our Company; the travel cost, lodging and expenses of our engineer must be covered by the client and the engineer service will be free.
- ?User friendly English manual on how to use the machine and accomplish the maintenance.

About CO2 Laser Marker:

- ?The carbon dioxide laser (CO2 laser) was one of the first lasers to be invented in 1964, and still is one of the most used. The carbon

dioxide lasers are the highest and powerful wave continuous lasers that are available, are very efficient and output ratio of power to the pump power can be as high as 20%.

?A CO2 laser beam is not easily absorbed by metal, but can easily be absorbed by any organic material such as wood, acrylic, rubber, etc., while it tends to reflect off most of the metal surfaces. The wavelength differences are the two beams that are mainly responsible for the different type of materials and the reactions that they have.

Remark:

?Laser marking is the practice of using lasers to engrave or mark an object. Using a light beam as a tool to mark the products with the laser which produces a non-contact mark as a result leaves less wearing and tearing on the tools and the and related costs are lowest. There is also less chance to damage the product. There are no consumables and no problem disposing toxic products, such as with other methods.

?High precision markings are achievable on almost any type of material including gold, platinum, silver, stainless steel, and aluminum, as well as a wide variety of plastics. Trademarks, personalized text, serial numbers, logos, and digital images, or any individual process data, can be produced with laser marking.

? Laser marking produces a fresh, clean and permanent mark. Lasers are also faster than any conventional printing product method, providing greater versatility in material choices. The same machine can cut through thin materials as well as engrave on them.

?The Medium Laser is the material that exhibits the optical gain within a laser. The gain is generated by stimulating the emission on the electronic or molecular transitions of a lower energy state to a higher energy state which is stimulated by a pump source. The Medium Laser, is the main feature of the Laser Marker, we generally use Diode pump, Yag pump and CO2.

Details

Cooling Method	Air cooling and protection system
Spare Parts	No spare parts
Marking Speed	7000mm/s(275.6")
Marking Range	260*260mm(10.24"*10.24").(Optional Range:
Laser Power	70W
Laser Wave Length	10.64?m
Pulse Frequency	
Laser Medium	R.F.

Specifications

Laser Medium	R.F. CO2 laser made in U.S.A
Laser Wave Length	10.64?m
Pulse Frequency	<=20kHz
Laser Power	70W
Marking Range	10.24"×10.24"(260×260mm).(Optional Range: 3.94"×3.94"(100×100mm), 6.89"×6.89"(175×175mm), 8.27"×8.27"(210×210mm))
Max. Scan Speed	7000mm/s(275.6")
Max. Marking Depth	Depend on different materials
Repeat Precision	0.00004"(0.001mm)
Laser Capability Control	1-100% manipulating and software setting
Software	laser marking software
Support Image Format	PLT, AI, DXF, BMP, and other universal format
Cooling Method	Air cooling and protection system
Working Voltage	AC 220V ±10% 50HZ
Interface	USB

Power Consume	1000W
Main Composing	Worktable, optical system, cooling system, main control case, laser power control system
Optional Device	R.F. CO2 laser made in U.S.A 100W



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com