



## Carton Sample Making Machine 98"x63" (2500mmx1600mm)

Item Code: CS-PBCM-DCZ-2516



FOB Price: **\$45,827/set**

Price: **\$39,399/set**

You Save: **\$6428.00(14%)**

Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 2475.0lb (1125kg)

[Inquire Now](#)

### Overview

#### Applications:

This carton and paper box sample cutter can achieve the structural design of carton quickly, including folded, tubular and reel types, envelope packing, fixed carton and corrugated carton. It adopts the technique of vibrating blade cutting to produce any shape and ensure the accuracy of the design sample. It has been an eye-catching product among major packaging enterprises and has also been well-received by them since it was launched. Furthermore, it has been a powerful tool for production display and design strength. This carton box sample cutter is used in the manufacturing of products such as packing devices, regular and corrugated paper boxes, color prints, color boxes, absorbing plastic folding boxes, foam boards, hard and thin boards, and laser tools.

#### Functions:

- Cutting function of oscillating tool: It is able to cut different materials such as corrugated paper, card paper, offset paper, grey board, compound materials, gasket, leather and textiles.
- Folding function: It can fold corrugated paper, card paper and offset board into a relatively perfect folding line.
- Dotted line function: It is used to fold corrugated and grey card paper after cutting them in half, and to cut a dotted line.
- Location function: Precision location with a laser lamp.
- Drawing function: It can draw various high precision drawings.


#### Product Highlights:

- To be used in carton and paper box packing factories. It can cut and crease 15mm (0.59") corrugated paper.
- Stylish carton box sample cutter, beautifully finished. It is easy to operate, making it time and labor-saving, which decreases unnecessary expenses.
- Works with high precision (error of 0.1mm (0.0039")). Timesaving device provides stability and durability.
- This carton box sample cutter is used for the processing of hyperfine small samples.
- It adopts servo motor driving, which makes the machine work with high precision and silently.
- Merges proof, drawing and other multiply functions into an "organic" whole; this makes the cutter stable, highly precise and very fast.
- CAD is paired up with CAM to come to a pinnacle of multiply designing and processing and stride across more realms.
- Equipped with an oscillating blade, a pen, creasing wheel and servo motor.

#### Warranty and After-sale Service:

- The warranty is valid for 1 year starting from the merchandise arrival at Destination Port.
- We will send our engineer to give you 3 days of training, maintenance or other technical support for free, although the buyer must afford

- traveling costs, lodging and accommodations of our engineer. An extra fee will be charged if the service time exceeds 3 days.
- If a standard part breaks due to a quality problem within the time covered by the warranty, the buyer should send the seller the broken part, and the seller will send a new part to the buyer as soon as possible and guide buyer on how to change it the way it has been taught in the training.
  - User-friendly English manual for instructions on machine usage and maintenance.

			
Machine head		Pen: It can realize the drawing function, draw different type high precision picture	
			
Vibration knife cutting function: it can cut corrugated paper, cardboard paper, glue paper, grey paper, laminated paper, etc.		Creasing Wheel: Press fold line function, it can press perfect line in the corrugated paper, cardboard, grey board etc.	

## Details

Manner of Receiving Data	PCI port
Driver	Servo
Cutting Thickness	0.59" (15mm)
Max. Cutting Speed	39.4" (1000mm)/s
Max. Cutting Area	98"×63" (2500×1600mm)

## Specifications

Max. cutting area	98"×63" (2500×1600mm)
Max. cutting speed	39.4" (1000mm)/s
Min. cutting diameter	0.24" (6mm)
Max. cutting thickness	0.59" (15mm)
Control line and driver	Servo
Input cushion area	32MB
Positioning precision	0.0039" (0.1mm)
Cutting precision	0.0039" (0.1mm)
Repeat precision	±0.0039" (0.1mm)
Instruction format	HPGL
Data port	PCI port

Data transport speed	10MB/s
Fixed type	Vacuum absorption
Power of vacuum pump	5.5KW
Power support	220v±10%50HZ
Software	SICCUT processing software. It supports all software that can output files of DXF, PLT for
Standard equipment	Computer, vacuum pump, controlling software, 30 pcs of oscillating blades, and other acc
Optional device	Kasemake software
Machine dimension	125"x97"x50" (3170×2475×1260mm)
Machine weight	2017.2lb (915kg)
Package	Fumigation free package
Packing size	131"x101"x28" (3320×2570×710mm), 104"x39"x37" (2650×990×950mm)
Gross weight	2480.2lb (1125kg)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com