




## Embossed Solid Polycarbonate(PC) Sheet

Item Code: CS-PC-PinC-06



FOB Price: **\$6.68/**

Mini Order: 100 packs

Average Rating: 1b (kg)

[Inquire Now](#)

### Overview



#### Description:

There are two kinds of Polycarbonate(PC) board: the solid one is called solid board, and the hollow one is called hollow board or sunshine board. These solid boards, a new type of high-strength, heat insulation, pass through light, portable building materials, have been widely used in the production of light, carport lighting, road barrier, explosion-proof shields, the sky lighting, industrial plants, greenhouse, the observation window, the sound of Barriers, lighting exhibition and so on.

#### Applications:

Bathroom, upholster, lighting, indoor partition, folding screen, all kinds of sunshades, ceiling, LED displays, various non-reflective equipments' surface, various embossed effect equipments' surface, etc.

**Remark:** Color and size can be custom-made.

#### Note:

The quotation of the product we give is based on one millimeter thickness, if other thickness is needed, please multiply the quotation by the corresponding thickness that you want.

Specifications				
Standard thickness	weight	Standard width	Standard length	Standard color
0.0585" (1.5mm)	3.9" (100mm)	48.0" (1220mm), 61.4" (1560mm), 71.7" (1820mm), 82.7" (2100mm), 98.4" (2500mm)	236.2" (6000mm)	Clear,green,blue, smoke,brown, opal,red,silver
0.078" (2mm)	7.9" (200mm)			
0.117" (3mm)	11.8" (300mm)			
0.1755" (4.5mm)	17.7" (450mm)			
0.234" (6mm)	28.3" (720mm)	48.0" (1220mm), 61.4" (1560mm), 82.7" (2100mm), 98.4" (2500mm)	118.1" (3000mm), 236.2" (6000mm) 39.4" (1000mm)	
0.312" (8mm)	56.7" (1440mm)			
0.39" (10mm)	70.9" (1800mm)			
0.468" (12mm)	94.5" (2400mm)			
0.585" (15mm)	126.0" (3200mm)			

Main application pc structure series-light transmittance	
Standard thickness	Color(clear)
0.078" (2mm)	89
0.1053" (2.7mm)	88
0.117" (3mm)	88
0.1755" (4.5mm)	87
0.234" (6mm)	86
0.312" (8mm)	83
0.39" (10mm)	82
0.468" (12mm)	81
0.546" (14mm)	77
0.624" (16mm)	75
0.702" (18mm)	73



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email: [info@sign-in-china.com](mailto:info@sign-in-china.com) Tel: +86 132 6410 3286 [www.sign-in-china.com](http://www.sign-in-china.com)