

Flatbed Printer A1 Size(610mm x 1000mm)

Item Code: SIC-SZ-SLJ-A1-1000



FOB Price: \$15,957/pc

Mini Order: 1 pc

Shipping Weight: * * * * * * *

Average Rating: 818.4lb (372kg)

Inquire Now

Overview

Description:

The SIC-SZ-SLJ-A1-1000 is an A1 size flatbed printer with high printing speed and high resolution. The structure design guarantees a stability of the performance allowing limitless repetitive prints with a complete registration. It comes with Epson printheads with a high quality definition.

For consumables materials, it uses the newest professional inks that specialized on flatbed printers. Therefore has a super adherence and durability on the color. With a high performance, the flatbed printer can help minor enterprises to realize high qualified printing results and create more value.













High-precision Actuating Device

Ink Supply System

Application:

Electronic products, gifts, toys, house furnishings, chinaware, art, work, fastener, crystal wares, advertising, leather good, etc.

Materials that can be printed:

Plastics (ABS, PC, PE, PP, PU, PVC etc.), acrylic, metal, wooden articles, leather, glass, crystal, chrome paper, ceramic tile/chinaware, silica gel, stiff paper, wax, etc.

Features:

- . Structure design: It has an integrated design that creates stability in the performance allowing limitless repetitive prints with a complete registration without displacement and high print resolution.
- . Comes with 11 ink colors that have more brightness and vivid printing effectas a result it prints a clear and detail image.
- . Higher printing speed, suitable for a batch production.
- . Printhead protector with an automatic function to adjust the height an also protect the printheads.
- . Automatic nozzle spray intellective monitor unit, detects whether the printheads are blocked and conducts the cleaning work to ensure a perfect print.
- . The optimized ink supply modeavoids the data reset on the main board, makes the maintenance process easier and more efficient work.
- . With a structure design which makes it convenient and faster to replace the spare parts.
- . Alloyed working table is lighter and stable and provides more resolution.
- . With USB 2.0 high speed interface and Ethernet interface of 10/100 MB connection. It resolves data transmission problems and guarantees the high speed, output and offers a perfect network printing solution.
- . With a streamlined design patented outward has a unique feature in the printing result.

Sample:





sample 1 sample 2

Details

Ink colors	PK,MK,LK,LLK,C,LC,M,LM,Y,OR,G	
Interface	USB2.0	

Print resolution	2880*1440dpi	
Printer head	Epson	
Max print size	24.0"*39.4" (610mm*1000mm)	

Specifications

Essential parameter

Printing Mode	11-clor Ink Jet(PK,MK,LK,LLK,C,LC,M,LM,Y,OR,G)	Max. Printing Width	24.0"x39.4" (610mmx1000mm)
Resolution	2880x1440dpi	Max. Material Thickness	7.9" (200mm)
Nozzle Configuration	3600Nozzles	Minimum Ink Droplet	1.5 pico-liter
Printing Speed	A1, 4.5mins .(1440dpi)	Power Supply	AC220-240V/AC110-120V, 50HZ~60HZ
Transmission Type	USB2.0 /10/100MB Ethernet Interface	Working Environment	Temperature: 5~35°C; Humidity: 20~80%
Weight	485.0lb (220kg, net), 661.4lb (300kg, gross)	Driver	Microsoft Windows98/2000/Me/XP
External Size(LxWxH)	55.1"x37.8"x31.5" (140x96x80cm)	Jet Cleaning Type	Automatic
Shipping Size(LxWxH)	63.0"x45.7"x39.4" (160x116x100cm)	Ink Feed Type	29.9floz (850ml)/Color(11 Colors)





















