



Flatbed Printer B0 Size (1118mm Width)

Item Code: SIC-SZ-JGT-11180B



FOB Price: **\$26,918/set**

Mini Order: 1 set

Shipping Weight: ★★★★★

Average Rating: 1302.4lb (592kg)

[Inquire Now](#)

Overview

Suitable Materials:

Metals: Gold, Silver, Copper, Iron, Non-stainless steel, Aluminum and so on.

Organics: Acrylic, Wood, Leather, t-shirts, Textiles, Plastic (PVC/PP/PE/PU) and so on.

Inorganics: Crystal, Glass, Ceramic, Stone and so on.

Features:

Jacking System: Step motor and simultaneous screw.

Feeding System: Step motor with timing belt 3GT made in Italy.


Driver Configuration: Japanese liner bearings

Altitude Check: IC automatic monitoring altitude prints.

Control Mode: Intelligent Taiwan touch screen.

Nozzle Protection: Infrared detection of automatic adjustment.

Language: Intelligent touch-screen for arbitrary multi-languages switch.



Description:

Introducing the high-precision universal flatbed printer series, with Japanese CNC Software, programmable touch screen operation system to import, step motors and serve motors under CNC operation. Automatic adjustment, precise positioning, high-precision, perfect printing, color repetition up to 100%. It is the most stable printer among all the universal flatbed printers, and it can be used for a variety of personalized printing and industrial printing.

Simple operation system, easy to learn, no printing panel prepared, suitable for all kinds of soft and hard materials, such as leather, metal, plastic, ABS, TPU, PVC, wood ,etc.

Full color, high-precision and anti-color fading.

Samples:



Details

Max Media thickness	5.9" (150mm)
Print resolution	2880*1440dpi
Printer head	Espon
Max print size	44.0" (1118mm)
Ink colors	8-color Ink Jet(C,M,Y,LC,LM,LK,LLK,PK)
Interface	USB2.0

Specifications

Specifications			
Printing Mode	8-color Ink Jet(C,M,Y,LC,LM,LK,LLK,PK)	Max. Printing Width	1118mm
Resolution	2880x1440dpi	Max. Thickness of Material	150mm
Nozzle Configuration	1440Nozzles(180 nozzlesx 8colors)	Minimum Ink Droplet	3.5 pico-liter
Printing Speed	22minutes/Square Meter 1440dpi	Power Supply	AC220-240V/AC110-120V, 50HZ?60HZ
Transmission Type	USB2.0 / 10/100 Base-Ethernet	Working Environment	Temperature: 5?35°C; Humidity: 20?80%

Weight	240KG (net), 290KG (gross)	Driver	Microsoft Windows98/2000/Me/XP
External Size (l×w×h)	188CMx120CMx114CM	Jet Cleaning Type	Automatic
Shipping Size (l×w×h)	190CMx130CMx120CM	Ink Feed Type	150ml/Color(C,M,Y,LC,LM,LK,LLK,PK)



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com