



1.2w High Power Waterproof LED Module(35.5mm*40mm,white light)

Item Code: LED module-SSL-IFX326B



Mini Order: 120 pcs

Shipping Weight: ★★★★★

Average Rating: 0.0lb (0.015kg)

[Inquire Now](#)

Overview

High Power LED Module

**Description:**

12v DC Operation.

It has 2 mounting screw holes.

The waterproof LED module strings are 7.5 inch wires between each module

Each module has 1 wide viewing angle with 160°degree 1.2w 5074SMD LED.

More than a 5-year product warranty without RF interference.

LED Quantity: 1 LED

LED Model: 5074 SMD



Warranty: 5 years


Max Power: 1.2W

Specification: 30pcs/string

Detail

Dimensions:mm








Usage

Easy, reliable and safe for use.


Suitable for 8-18cm thickness channel letters and light boxes backlighting etc.




- The given parameters ensure even light distribution on the surface;
- Depending on the type of material used for channel letters or lighting boxed, the parameters can change;
- More brightness is obtained if distances between LED modules are reduced.



comparison



- On each square meter with less installations, save electricity & manpower as well as less possibility of troubles.




- On each square meter with more installations, waste electricity & manpower as well as high possibility of troubles.

Advantages

**Aluminium base
plate with good
heat dissipation**

ONE **1**



**Multiconductor
Cable**

TWO **2**

Safe and advanced



Injection Molded

THREE **3**

Application





Process



Quality report:

Lab: 000-02

No.: YJ38-WT0030

共 3 页 第 2 页

广东省技术监督灯具产品质量监督检验站

检 验 报 告

序号	检测项目	单位	标 准 要 求	检 测 结 果	备 注		
				1A	2A	3A	
1	标 记	产品上应有	额定功率	0.300W	0.300W	—	合格
			特殊光源	LED	—	—	合格
			光源标记	符合	符合	—	合格
			额定电压	DC 12V	—	—	合格
			产品型号或型式序号	SSL-5074-6074	—	—	合格
			防护等级或数字	IP65	—	—	合格
2	绝缘电阻和电气强度 (45%额定电压)	800	绝缘电阻、带电部件和产品的金属部件之间≥1	300	300	—	合格
			电气强度、带电部件和产品的金属部件之间、500V、试验后无击穿现象。	符合	符合	—	合格
3	防护等级试验	—	样品及其基本型和结构(70%)的能力。	符合	符合	—	合格
4	通电试验/电路连续性	—	样品接入额定电源电压后,并能正常工作。	符合	符合	—	合格

中国合格评定国家认可委员会
中国认证认可协会

中国合格评定国家认可委员会
中国认证认可协会

检 验 报 告
TEST REPORT

中山市质量计量监督检验所
GUANGZHONG QUALITY METER SUPERVISION TESTING STATION (ZHONGSHAN)
广东省技术监督灯具产品质量监督检验站
GUANGDONG SUPERVISION QUALITY METER SUPERVISION TESTING STATION (GUANGZHONG)
广东省技术监督产品质量监督检验站
GUANGDONG SUPERVISION QUALITY METER SUPERVISION TESTING STATION (GUANGZHONG)
广东省质量监督食品检验站 (中山)
GUANGDONG FOOD QUALITY METER SUPERVISION TESTING STATION (ZHONGSHAN)

Lab: 000-02

No.: YJ38-WT0030

共 3 页 第 2 页

广东省技术监督灯具产品质量监督检验站

检 验 报 告

序号	检测项目	单位	标 准 要 求	检 测 结 果	备 注		
				1A	2A	3A	
1	标 记	产品上应有	额定功率	0.300W	0.300W	—	合格
			特殊光源	LED	—	—	合格
			光源标记	符合	符合	—	合格
			额定电压	DC 12V	—	—	合格
			产品型号或型式序号	SSL-5074-6074	—	—	合格
			防护等级或数字	IP65	—	—	合格
2	绝缘电阻和电气强度 (45%额定电压)	800	绝缘电阻、带电部件和产品的金属部件之间≥1	300	300	—	合格
			电气强度、带电部件和产品的金属部件之间、500V、试验后无击穿现象。	符合	符合	—	合格
3	防护等级试验	—	样品及其基本型和结构(70%)的能力。	符合	符合	—	合格
4	通电试验/电路连续性	—	样品接入额定电源电压后,并能正常工作。	符合	符合	—	合格

Specifications

Model	LED module-ssl-5074
LED Type	SMD5074
LED Quantity	1 Led
Power Consumption	1.2w
Work Voltage	12V

Beam Angle	160
Color	White
FPC Color	White
Waterproof Grade	ip 67
Work Temperature	-20-60 ?
Life-span	50000
Certificate	CE and RoHS

Tags

[1.2w high power led module](#) [white LED](#) [35.5mmX40mm](#)

QA

Q

About this led module, can you provide free sample ?Thanks

A

Yes, we can provide free samples for you. Then can you pay FedEx freight for samples. Thanks

Reply by [sign-in-china](#)

Q

About this led module, what's your meaning for 5 years warranty?

A

That means under 5 years warranty, we can free provide led modules if your led module has any quality problems.Thanks

Reply by [sign-in-china](#)



Copyright © 1999-2013 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com