



P6 Indoor integrated 3 in 1 Full Color screen

Item Code: FC-LJ-P6integrated



FOB Price: **\$4,546/sq.m**

Mini Order: 1 roll

Average Rating: lb (kg)

[Inquire Now](#)

Overview

3 in 1 Integrated full color screen is our patented product. It has color blending ability, high brightness and a wide viewing angle.

Advantages:

- . High resolution: the resolution is up to 40000dots, which provides a good exhibition effect and vivid images.
- . Color blending: With RGB colors combined in one pixel plus reasonable cavity reflection and, the color has been mixed that the conventional LED lamp will get the blending effect at some distance.
- . Anti-static property: Innovative mechanical design of reflect cavity and configuration of the RGB chips.
- . High reliability: LED DOT-MATRIX has a very even surface.
- . Wide viewing angle: 140° (horizontal).
- . Color consistency: The LED chip's bright color and 100% peroxide resin provide the perfect display effect.
- . High brightness: The 4 x 4 module (utility model patent), can achieve a 1/4 scanning rate and is able to further enhance its brightness.


Details:



Name: Lnk-ID4-RGB-16l
 Size: 512mm×384mm×120mm



Size: 256mm×128mm
 Resolution: 64×32



Pixel pitch: 4mm
 Size of pixel: 3mm (circle)

Details

Environment	Indoor
-------------	--------

Specifications

Specifacaton:

Pixel pitch	0.2" (6mm)	Size of pixel
Size of block module	1.9" x 1.9" (48 x 48mm)	Pixel of block module
Size of module	15.1" x 7.6" (384 x 192mm)	Resolution of module
Size of cabinet	30.2" x 22.7" x 4.7" (768 x 576 x 120mm)	Resolution of cabinet
Area of cabinet	0.0531 m ²	Density of pixel
Pixel configuration	1R1PG1B	Best viewing distance
Brightness	?1800cd/ m ²	Maximum power consumption
Horizontal viewing angle	140°	IP grade
Driving device	constant current	Driving method
Colors	16777216	Color temperature

Gray scale	14 bits	Refresh frequency
Control method	Synchronization	Working temperature
Frame frequency	?60Hz	MTBF
Working voltage	AC220V/110V±10%	Life span



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com