



Polycarbonate(PC) Solid Sheet

Item Code: CS-PC-PinC-05



FOB Price: **\$6.68/**

Mini Order: 100 packs

Average Rating: 1b (kg)

[Inquire Now](#)

Overview

Description:

There are two kinds of Polycarbonate(PC) board: the solid one is called solid board, and the hollow one is called hollow board or sunshine board.

This solid board used for general application is a new type of high-strength, heat insulation, pass through light, portable building materials, and has been widely used in the production of light, carport lighting, road barrier, explosion-proof shields, the sky lighting, industrial plants, greenhouse, the observation window, the sound of Barriers, lighting exhibition and so on.

Solid sheet used for general application has UV protected on one-side and both sides.



Application:
Gymnasiums, workshop, storehouse, walkways/carports skylights, natatorium coverings, greenhouse coverings, defend cruel appliance shield plate, light panel, lighting glassiness wall, light-absorbing shade, etc.

Remark: Color and size can be custom-made.

Note:
The quotation of the product we give is based on one millimeter thickness, if other thickness is needed, please multiply the quotation by the corresponding thickness that you want.

Specifications					
Standard thickness	weight	Standard width	Standard length	Standard color	
0.078" (2mm)	2.4kg/m2	7.9" (200mm)	48.0" (1220mm), 61.4" (1560mm), 71.7" (1820mm), 82.7" (2100mm), 98.4" (2500mm)	98.4' (30000)	Clear, green, blue, smoke, brown, opal, gla
0.1053"(2.7mm)	3.24kg/m2	10.6" (270mm)			
0.117" (3mm)	3.6kg/m2	11.8" (300mm)			
0.1755" (4.5mm)	5.4kg/m2	17.7" (450mm)			
0.234" (6mm)	7.2kg/m2	23.6" (600mm)			

Main application pc structure series-light transmittance	
Standard thickness	Color(clear)
0.078" (2mm)	89
0.1053" (2.7mm)	88
0.117" (3mm)	88

0.1755" (4.5mm)	87
0.234" (6mm)	86
0.312" (8mm)	83
0.39" (10mm)	82
0.468" (12mm)	81
0.546" (14mm)	77
0.624" (16mm)	75
0.702" (18mm)	73
0.78" (20mm)	72



Copyright © 1999-2012 by Beijing ChinaSigns Information Company Limited All Rights Reserved.

Email:info@sign-in-china.com Tel:+86 132 6410 3286 www.sign-in-china.com