

First Time Setup

You are running Digital Factory v11 Print + Cut Edition for the first time. Please review initial settings and modify to suit your preferences.

Where applicable, all numeric values will be displayed using the selected units and number of decimal places set below.

Set display units:

centimeters

centimeters
inches
millimeters
points

Set number of decimal places:



To change these settings, and for advanced options, click on 'Tools->Options...' after the application begins.

OK

Introduction

Welcome to the production queue setup wizard.

This wizard will set up your local production queue. A production queue manages your print and cut jobs for your configured printers and cutters.

To continue, click 'Next', or click 'Cancel' to quit.

Back

Next

Cancel

Connect Your Device

Important steps before proceeding!

1. Turn the output device power on.
2. Connect the device to the computer or network.



Back

Next

Cancel

Create Queue Wizard

Printer Defaults

Assign a default printer for this production queue.

Select the default printer, print mode, and output port for this queue:

Printer:

Control panel Queue

Install Printer

Port:

FILE

Print mode:

To ensure consistency in color management, only select Default if no specific print mode exists.

or

☒ Continue without setting up a printer for a cut only production queue.

Back

Next

Cancel

Cutter Defaults

Assign a default cutter for this production queue.

Select the default cutter and output port for this queue:

Cutter:

Port:

Install Cutter

Select a cutter from the list you want Digital Factory v11 Print + Cut Edition to support

Search: CALCA

Select none

Items selected: 1

CALCA

Cutter Defaults

Assign a default cutter for this production queue.

Select the default cutter and output port for this queue:

Cutter:

Install Cutter

Port:

Configure Cutters

Device Package Search



☒ Search for new printer package(s) from Cloud server.

Internet access required for this search to take place

☐ Don't search automatically, I will choose the search location

Select this option if you would like to select a printer package from a specific location. This printer package may not be the most recent version available.

Browse...

Back

Next

Cancel

Cutter Defaults

Assign a default cutter for this production queue.

Select the default cutter and output port for this queue:

Cutter:

Install Cutter

Port:

Configure Cutters**Copying Device Packages****Overall copy progress**

✓ Installation Complete

**Download progress**

✓ CALCA. 1.6.cut.pkg64 From updater.cadlink.com



Downloaded: 116.68 KB copied in 0 seconds

Transfer rate: 17.87 MB/Sec

Extraction progress

✓ Extraction Complete



Device package update is complete. Click 'Next' to continue.

Next

Cutter Defaults

Assign a default cutter for this production queue.

Select the default cutter and output port for this queue:

Cutter:

Install Cutter

Port:

Configure Cutters

Configuration Summary



You have completed the Install Device Wizard.

CALCA Driver package [Version 1.6]: Installed successfully Driver package [Version 1.6]: Installed successfully
--

Finish

Create Queue Wizard

Name Your Production Queue

Enter a name for your production queue:

CALCA

Your application supports the ability to create multiple queues. To create and set up other queues, please use the 'Queue->Add Queue' menu option.

Note that each queue must have a unique name.

Back

Next

Cancel

Registration Marks


Select registration system:

Sublistar Registration ▾
Disabled
Sublistar Registration

Back

Next

Cancel



VICUT [1]

Queue Stopped total: 1

Name Status Print Mode Copies Job Cost File

ttt.pdf Pending

Show Print and Cut Previews

0 100 200 300 400 500 600

33%

Queue Properties

Null Printer

Settings

General

Hot Folders

Media Setup

Layout Manager

Scheduling Options

Printer Status

Job Reserve

Print Labels

Production Markup

Grommet Setup

Color Layer

Cutter

Resolution

Color Actions

Cutter Options

Sorting

Weed Borders

Contour Cut

Other

Production Markup

Select System:

Sublistar Registration

Select Mode:

Per Content

Select mark color:



Choose Color...

Markup System Settings:

Marks

QR Code

Offset

12.70 mm

Size

5.00 mm

☒ Use Segments

Segment Length

100

For segments to work correctly, Virtual Tiling must be enabled in Cutter Options and Virtual

Registration Mark Settings:

☐ Add start marks

Offset:

25.40 mm

☐ Add end marks

Offset:

25.40 mm

☐ Cut From End of Roll

Cut Path Shift X:

0.00 mm

Cut Path Stretch X:

0.00 mm

Cut Path Shift Y:

0.00 mm

Cut Path Stretch Y:

0.00 mm

Margins

0.00 mm

0.00 mm

0.00 mm

0.00 mm

Padding

0.00 mm

0.00 mm

0.00 mm

0.00 mm

Add Markup System

Update Markup System

☐ Add multiple systems

The screenshot shows the Digital Factory v11 Print + Cut Edition VICUT interface. The 'Queue Properties' dialog box is open, displaying the 'Cutter Options' tab. The 'Queue Properties' button in the top toolbar is highlighted with a red box. The 'Queue Properties' dialog title is also highlighted with a red box. The 'Cutter Options' tab in the left sidebar is highlighted with a red box. The 'Virtual Tiling' and 'Virtual Tile Length' settings in the main panel are highlighted with a red box.

Queue Properties

Null Printer Default

Settings

- General
- Hot Folders
- Media Setup
- Layout Manager
- Scheduling Options
- Printer Status
- Job Reserve
- Print Labels
- Production Markup
- Grommet Setup
- Color Layer
- Cutter
- Resolution
- Color Actions
- Cutter Options
- Sorting
- Weed Borders
- Contour Cut
- Other

Cutter Options

Globals

Options	Value
Flatten Arcs with Radius more than	10000.00 mm
Flatten Arcs with Arc Length Less than	0.30 mm
Query page size before cutting	<input type="checkbox"/>
Skip Pauses on Copies	<input checked="" type="checkbox"/>
Adjust end point	<input checked="" type="checkbox"/>
End Point X Offset	0.00 mm
End Point Y Offset	0.00 mm
End point position	Bottom Left
Adjust origin	<input checked="" type="checkbox"/>
X origin adjust	0.00 mm
Y origin adjust	0.00 mm
Origin location	Top Left
Virtual Tiling	<input checked="" type="checkbox"/>
Virtual Tile Length	900.00

Reset



Digital Factory v11 Print + Cut Edition: CALCA

File Queue Jobs Devices Tools View Help



CALCA [1]

Queue Stopped | total: 1


[illegible]

Reserved

Browse

Name	Status	Print Mode	Copies	Job Cost	File

Show Print and Cut Previews



Queue

Page

Job

Section 1 - Default Cut Page [ttt.pdf]

Default Cut Page

Width: [61.00 cm]

Layout:

Manual

1

[Next Page](#)

Nest All